THE RIGHT SHOE FOR EVERY RIDER AND EVERY RIDE

S-PHYRE FOOTWEA PEDALS APPAREL BAGS EYEWEAR

| A STATE OF A | |
|---|--------|
| TECHNOLOGIES | P. 62 |
| ROAD COMPETITION | P. 68 |
| ROAD PERFORMANCE | P. 70 |
| TRIATHLON | P. 76 |
| XC-RACING | P. 78 |
| MULTI-SURFACE | P. 80 |
| MOUNTAIN ENDURO | P. 82 |
| GRAVITY | P. 86 |
| SEVERE CONDITIONS | P. 92 |
| EXPLORER SERIES FOOTWEAR | P. 94 |
| WOMEN'S FOOTWEAR | P. 102 |
| ACCESSORIES | P. 112 |
| ICONS & SIZING CHARTS | P. 116 |
| | |

S-PHYRE

OOTWEAR

IGNITE YOUR PERFORMANCE

S-PHYRE has one goal: to maximize power transmission by delivering more performance per gram, cheating the air, and using linkage effect to power efficiencies.

S-PHYRE embodies SHIMANO's passion to create the best, deliver results, and ignite your performance.



THE NEWEST BENCHMARK OF PERFORMANCE FROM SHIMANO

When you've led as many races as we have, you learn a lot about what it takes to win. And S-PHYRE is the newest expression of SHIMANO's passion for leading. We've taken everything we know about performance and created the pinnacle of SHIMANO FUSION CONCEPT.

Meticulously engineered, S-PHYRE turns technology into performance, effort into victories, and dreams into realities.

Our goal and promise is to bring to market technical wear so advanced that it empowers you to achieve your next level.



NOT A SINGLE WATT BEHIND

Power generation is hard enough. Riders don't need to lose watts to the physics of aero drag, friction or overheating. S-PHYRE is engineered to limit losses through technological advancements that only SHIMANO could invent.

PHYSICS

Speed lives in the details. We have re-considered everything about how drag, friction and excess weight fight against forward movement. Patterns are fine-tuned, materials are selected to reduce drag and constructions are engineered to limit rotating mass.

PHYSIOLOGY

Heating/cooling demands are a variable driven by exertion and situation. Controlling and maintaining body temperature delivers more power, more consistently, in more situations. S-PHYRE works intuitively to maintain optimal body temperature so the rider can concentrate on power generation.

LINKAGE EFFECT

S-PHYRE linkage effect is built on SHIMANO core System Engineering philosophy. One piece interacting in harmony with the next provides a higher level of performance. S-PHYRE products are designed to unify the rider, gear and bike. Because suffering should come from the effort not from what you wear.

S-PHYRE lives up to everything you expect from SHIMANO, and everything we demand from ourselves.

FC

STRONGER PERFORMANCE BY

ALL LEVELS OF EXERTION

REGULATING TEMPERATURE AT

INCREASED SPEED BY REDUCING DRAG, FRICTION AND EXCESS WEIGHT

LINKAGE EFFECT

2125

PHUSIOLO

MAXIMIZED POWER TRANSMISSION AND COMFORT

41

30

S-PHYRE

S-PHYRE

THINK. FAST.These two words define both our approach
and the promise of the S-PHYRE brand. Afterbullet train. And just like the bullet train,
S-PHYRE doesn't exist because creating it

all, we are from the country that invented the *is easy; it exists because it is necessary.*

S-PHYRE RC9 SHOE THE PINNACLE OF ROAD COMPETITION FOOTWEAR


Super light. Incredibly fast. Close to the action. Power transmission is job one with the new S-PHYRE road competition shoe. It connects your leg, foot, sock and shoe with a unique linkage effect that transfers every last watt while treating your toes to a comfortable fit. Because when you're suffering for glory, the last thing you want is a shoe that's not contributing to the effort.

SIZE • 36, 37 - 47 in half sizes; 48; wide type size: 36, 37 - 47 in half sizes; 48



SOA I SUIDAU SHIMAND DYNALAST









BEST MATCH PD-R9100



For more information download the SHIMANO FUSION CONCEPT App

Dual independent BOA IP1 dials with Powerzone wire guide lacing allow quick and precise micro-adjustment while maintaining stability.

FULL-FEATURE UPPER

Supple, stretch-resistant and highlybreathable Teijin Avail microfiber synthetic leather, optimized with dimple perforated drainage/vent holes.

-

SEAMLESS MIDSOLE

Elimination of the lasting board reduces weight and enables a lower stack height to help stabilize the foot and maximize power output.

LOW STACK HEIGHT

Low stack height helps stabilize foot during the downward pedaling stroke.

EXTERNAL HEEL CUP

External curved heel cup construction suppresses foot twist and roll, stabilizes the heel and holds your foot firmly in place.

ASYMMETRIC CONTROL

Asymmetric eyestay pattern prevents twisting of foot under high-power pedaling.

ONE-PIECE UPPER

One-piece surround upper design provides a glove-like fit.

CARBON OUTSOLE

Ultra-rigid lightweight carbon sole maximizes power transfer.

EXTENDED-RANGE CLEAT ADJUSTMENT Extra 11 mm of cleat adjustment range.

ANTI-ODOR COMFORT

Silvadur's patented long-lasting silver ion intelligent technology offers long lasting freshness. You can feel confident that apparel will stay fresh regardless of the level of activity. No unwanted odors or discoloration occur that might shorten a products lifespan.

S-PHYRE XC9 SHOE

THE ULTIMATE IN OFF-ROAD POWER TRANSMISSION AND LIGHTWEIGHT EFFICIENCY

Road-shoe fast meets mountain-shoe rugged. Finally, off-road shoes deliver pro performance in the dirt. XC9 is packed with engineering innovations that improve fit, maximize power transfer and perform in raw conditions. You stay focused on rolling over roots, straddling streams or bunny-hopping barriers. These shoes have got your back while they cradle your feet.

SIZE

• 36,37 - 47 in half sizes; 48; wide type size: 38 - 47 in half sizes; 48



MICHELIN BOA SHIMAND DYNALAST





For more information download the SHIMANO FUSION CONCEPT App

RACE-FIT UPPER

A one-piece surround upper, narrow bottom, rounded heel and slim toe box provide a glove-like fit.

EXTERNAL HEEL CUP

External curved heel cup construction suppresses foot twist and roll, stabilizes the heel and holds your foot firmly in place.

MICHELIN OUTSOLE

Proprietary Michelin outsole minimizes weight, and offers increased traction.

ANTI-SLIP PATTERN Specific design to improve adherence on pedals.

ASYMMETRIC CONTROL Asymmetric eyestay pattern

DUAL BOA

prevents twisting of foot under high-power pedaling.

Extra-range BOA microadjusters

with instant release spools.

LOW STACK-HEIGHT

Low stack-height helps stabilize foot during the downward pedaling stroke.

REINFORCED MOUNT

Reinforced spike mount for extreme conditions (also available with 18 mm spike option).

EXTRA-LONG SPIKES

Optional extra-long climbing spikes for cyclocross and wet condition applications.

ANTI-ODOR COMFORT

Silvadur's patented long-lasting silver ion intelligent technology offers long lasting freshness. You can feel confident that apparel will stay fresh regardless of the level of activity. No unwanted odors or discoloration occur that might shorten a products lifespan.

S-PHYRE TALL SOCKS PROFESSIONAL GRADE RACING SOCKS

All socks are the same, right? But what if a sock could make a shoe better? S-PHYRE believes it can. By looking at the shoe/sock interface and applying our Linkage Effect approach, S-PHYRE socks combine thermoregulation, comfort, ankle roll stability, and heel slip-resistance with an extra-tall cuff that's guaranteed not to droop. Asymmetrical structural weaving of proprietary fabrics provides guiderails for proper foot alignment through the entire 360-degree crank rotation. And you thought a sock was just a sock. By the way, they look great with S-PHYRE shoes, and work even better too.

MATERIAL • 58% Polyamide, 34% Polyester, 8% Elastane

SIZE • S-XL



promote efficient pedaling, the ankle angle is held in an ideal position. Part of the S-PHYRE shoe + sock integrated system. ANKLE GUIDES Woven-in ankle guides ensure efficient pedaling rotation. ANTI-SLIP PAD Knitted anti-slip heel.

> TEMPERATURE CONTROL Sole ventilation for comfortable riding.

SYSTEM ENGINEERED Designed and constructed to

DESIGNED TO WORK WITH RC9 AND XC9 Strategic structural design. Cushioned for comfort in pressure areas with thinner underfoot breathable panels to aid in temperature control.



For more information download the SHIMANO FUSION CONCEPT App





 NEON YELLOW
 BLUE
 WHITE

 CW-SCBS-QS31UF
 CW-SCBS-QS31UH
 CW-SCBS-QS31UI

THE BEST SHOE FOR YOU. IS THE SHOE THAT FITS YOU BEST.

MICHELIN



28.5

When we invented SPD clipless pedals more than 25 years ago, we faced one small problem: there were no compatible shoes. So we took a good, long look at the human foot, examined how it functioned in cycling applications, and created a high-performance shoe from scratch.

We design, analyze and test cycling footwear that fit our standards and the human foot. And we've discovered that a rider's foot behaves very differently when racing, mountain biking, touring, commuting or walking. In other words, one size (and one last) doesn't fit everyone.


It's why we offer the widest range of footwear types, lasts, sizes and styles. Sure, it would be easier to use just one last with different uppers and colorways to create a line. But when the shoe is purpose built to fit and perform, the results are millions of happy metatarsals, tarsals, phalanges, calcaneuses, plantar facias and taluses. That's code for happy feet.

FOOTWEAR OPTIMIZED AROUND THE HUMAN FOOT

SHIMANO footwear is developed using our unique understanding of how the foot interfaces with the shoe and pedal to optimize comfort and maximize power transfer for smooth and efficient pedaling.

ANATOMICALLY DESIGNED

All SHIMANO footwear closures are anatomically designed to reduce pressure and tension on the highest points of the foot. By wrapping the foot securely and in a uniform method, comfort is improved and added power transmission created.



OFFSET STRAPS

| CROSS X STRAP | |
|------------------|--|

Unlike conventional closures, SHIMANO's anatomically precise Offset Straps relieve tension at the highest point of the foot, where pressure tends to be greatest.



CROSS-X STRAPS


| | Our Cross-X Str on-foot challeng |
|---------|-------------------------------------|
| CROSS X | the real-world n |
| STRAP | when off the bik |

rap system is built for the ges of off-road riding with need of alleviating pressure



LOW PROFILE REVERSE BUCKLES

Super low-profile reverse buckle holds foot securely.



The Boa® System

BOA[°] FIT TO GO FURTHER.[°]

The Boa® System offers infinite adjustment for glove-like fit. On-the-fly, one-handed adjustments, secure locking and fast release.

SHIMANO FOOTWEAR **PROVIDES ALL-DAY COMFORT** BY WRAPPING THE FOOT SECURELY TO MAXIMIZE POWER TRANSFER.

1. COMFORT

Every SHIMANO cycling shoe uses supple yet durable upper materials engineered together with our unique closure options to secure the foot firmly and comfortably without hot spots or pressure points.

2. SECURITY

Efficient power transfer demands a stiff and rigid sole that can result in heel slip. SHIMANO cycling footwear is engineered with lightweight internal or external 3D Anatomic heel cups, which secure the heel to eliminate slip and chaffing while maximizing power transfer.

EXTERNAL HEEL CUP


On select models we utilize an external heel cup for enhanced heel hold and optimal durability..

3. POWER TRANSFER

Whether it is our ultra-stiff carbon fiber DYNALAST road performance soles, rider-tuned off-road TORBAL[®] soles, or on and off the bike optimized city touring soles; every SHIMANO sole is designed with the specific user in mind.

EVERY RIDER DESERVES THE PRO TREATMENT

SHIMANO offers a wide variety of shoes to match a range of riding styles. For each of our shoe models, we develop soles designed to optimize the desired style of riding. For pro racers seeking maximum power transfer, we equip our competition shoes with highly rigid soles and stability-enhancing insoles. And for the casual hike-and-bike touring enthusiast, we offer shoes featuring more flexible soles and cushioned insoles to provide greater comfort for walking.



S-PHYRE

BESPOKE FIT FOR YOUR FEET

SHIMANO'S CUSTOM-FIT heat-moldable insoles revolutionized cycling footwear. They feature an ergonomic, heat-moldable EVA with a rigid, highdensity PE support structure and customizable arch inserts to provide instant support, comfort, and stability.



CUSTOM-FIT INSOLE MOLDING TOOL

The CUSTOM-FIT insole molding tool maintains the shape of heat-moldable insoles. Providing precise plantar shape for more power, comfort, and support.

ANTI-SLIP TOP SURFACE

Keeps your feet securely positioned and supported for pedaling efficiency.

HEAT-MOLDABLE EVA LAYER

Allows you to create insoles that fit the unique shape of your feet.

HEAT-MOLDABLE HIGH-DENSITY PE WITH DEEPER HEEL CUP

Provides excellent rigidity, stability, and support.

HIGH-MID ARCH PAD

SNUG-FITTING HEEL CUP

and keep it reliably in place.

MID-LOW ARCH PAD

arch pad options, designed to support


The first of two modular

average-to-low arches.

Snug and stable, this newly designed

heel cup serves to cradle your heel

Our second modular arch pad option, this one is designed to support an average-to-high arch.



CUSTOM-FIT PRESSURE MAPPING

CUSTOM-FIT insoles disperse pressure more evenly and support a broader area for increased all-day comfort. CUSTOM-FIT also optimizes the heel bone angle and helps secure the heel in the shoe for increased power transmission.



ROAD COMPETITION FOOTWEAR









WHITE SH-RC900

RC9 **S-PHYRE**

THE PINNACLE OF ROAD COMPETITION FOOTWEAR FOR LONG DISTANCE COMFORT, AND EFFICIENCY

FEATURES

- Unified sole and upper construction sets a new level of fit, pedaling stability, rigidity and weight reduction
- Close to foot last shape with a narrow bottom, rounded heel and slim toe box
- Wide range fit adjustability accommodates various shapes of feet • Dual independent Boa® IP1 dials allow quick and precise micro-
- adjustment
- Quick dry 3D mesh controls humidity • Built in drainage holes for rainy conditions
- SIZE
- 36, 37 47 in half sizes, 48
- Wide type size: 36, 37 47 in half sizes, 48









RC7

FULL-FEATURED LIGHT WEIGHT COMPETITION SHOE FOR OPTIMIZED COMFORT AND PEDALING PERFORMANCE

FEATURES

- Ultra-rigid, lightweight carbon fiber composite sole
- SHIMANO DYNALAST helps to reduce braking loss
- Boa® IP1 dials allow quick, micro tension adjustments
- Powerzone wire guide with front strap hold foot securely
- Lightweight and supple perforated synthetic leather upper,
- featuring superior fit and added cooling
- Optimum linkage of air flow between upper, insole and outsole Adaptable Cup Insole

SIZE

• 38 - 47 in half sizes, 48, 49, 50 • Wide type size: 38 - 47 in half sizes, 48, 49, 50



245 g (SIZE 42)





SHIMAND DYNALAST

SHIMAND DYNALAST

silvadur.

NICERER NICECESSER NICECES NICECESSER NICECE

12

243 g (SIZE 42)

SPDSL

BOA



FURTHER, FASTER... MORE COMFORTABLE

Engineered with the endurance rider in mind, the Road Performance RP9 magically blends the advanced features and construction of our road competition footwear with the comfort and efficiency required for long days on the saddle. Supple materials surround our 3D Anatomic

ROAD PERFORMANCE AT EVERY LEVEL

Available Road Performance models include RP9, RP7W, RP5, RP3, RP2 and RP1 for all levels of cyclists seeking performance with comfort.

LONG DISTANCE COMFORT

All day comfort without sacrificing power transmission.

CLEAN APPEARANCE

Sophisticated aesthetic and hidden hardware routing for a clean appearance.

LIGHTWEIGHT CONSTRUCTION

Built on the Road Performance platform, the RP9 weighs just 224 grams (Size 42).


SM-SH41 CLEAT ADAPTOR


The SM-SH41 Cleat Adaptor converts any 3-hole SPD-SL shoe to mount a SPD cleat. Simple to install, the SM-SH41 allows riders to utilize the performance of a road shoe with the broad range of SPD pedals. The with cleat protecting, durable TPU

OMFORTABLE UPPER










MULTI-LEVEL COOLING



tegrated cooling channels route air cross the outsole, insole, and upper.



EXTERNAL HEEL CUP









BLACK SH-RP901

WHITE SH-RP901



224 g (SIZE 42)

SPDS

ROAD

BOA

🖂 silvadur.

SHIMAND DYNALAST

NICESE WIENCLEATE WIENCLEATE WIENCLEATE WIENCLEATE

RP9

FLAGSHIP ROAD PERFORMANCE SHOE DELIVERS UNPARALLELED COMFORT AND EFFICIENT PERFORMANCE ON LONG RIDES

FEATURES

- Supple, microfiber synthetic leather with perforated venting for superior fit
- Light carbon composite outsole for optimized long ride stiffness
- Micro-adjustable Boa® IP1 dial with hidden wire routing
- External curved heel cup secures the heel and foot
- Durable, wide heel pads provide walking stability • Optimum linkage of air flow over upper, insole and outsole

SIZE

- 36, 37 47 in half sizes, 48,49,50
- Wide type size: 36, 37 47 in half sizes, 48







AFFORDABLE HIGH-PERFORMANCE ROAD ENDURANCE SHOE FOR THE ASPIRING RIDER

FEATURES

• Seamless one-piece upper for ideal fit and all-day comfort • Light carbon fiber reinforced nylon sole for power transfer Micro-adjustable Boa[®] L6 dial with hidden wire routing Clean design delivers pure, functional performance • Durable, wide heel pads provide walking stability • Optimum linkage of air flow over upper, insole and outsole

SIZE • 36 - 50









BEST MATCH PD-R550, PD-R540, PD-R540-LA, PD-A520* *SPD pedals can be used only with SPD cleats with the adapter SM-SH40

BLACK SH-RP300







RP3

PRO LEVEL FEATURES, PERFECT FOR THE CLUB AND RECREATIONAL CYCLIST

FEATURES

- Secure closure system—two hook & loop straps plus a buckle for a firm fit
- Off-set Strap relieves tension at highest point of the foot
- Supple padded tongue feels great
 Optimum pedaling efficiency and compatibility
- Lightweight glass fiber reinforced nylon sole
- Indoor cycling friendly SPD and SPD-SL cleat compatible Adaptable Cup Insole

SIZE

• 36 - 52 • Wide type size: 36 - 52







SHIMAND DYNALAST





BEST MATCH

PD-R550, PD-R540, PD-R540-LA, PD-A520* *SPD pedals can be used only with SPD cleats with the adapter SM-SH40





RP2

WHITE SH-RP200

ESSENTIAL PERFORMANCE SHOE FOR BEGINNING ENTHUSIASTS

FEATURES

- 3 durable hook & loop straps spread tightening force across the top of the foot
- Off-set Strap relieves tension at highest point of the foot
- Extra cushioned tongue for added comfort
- Optimum pedaling efficiency and compatibility
- Lightweight glass fiber reinforced nylon sole
- Indoor cycling friendly SPD and SPD-SL cleat compatible Adaptable Cup Insole

SIZE • 36 - 50











SHIMAND DYNALAST





BEST MATCH PD-R550, PD-R540, PD-R540-LA, PD-A520* *SPD pedals can be used only with SPD cleats with the adapter SM-SH40

BLACK SH-RP100







ALL-AROUND PERFORMANCE ROAD CYCLING SHOE WITH SHIMANO QUALITY, COMFORT, AND FUNCTION.

FEATURES

• Comfortable fit and perfect support for pedaling • Dual hook and loop straps provide reliable and secure fit Lightweight glass fiber reinforced nylon sole • Indoor cycling friendly SPD and SPD-SL cleat compatible Reflective print on heel cup for improved visibility

SIZE • 36 - 48

<u>ه</u> 255 g (SIZE 42) SPDSC SPD (.ii.)

SHIMAND DYNALAST



ROAD PERFORMANCE FOOTWEAR



RW5

BUILT FOR RIDERS WITHOUT AN OFF-SEASON

FEATURES

- DRYSHIELD[®] membrane with fleece liner keeps feet warm and comfortable in rain, wind and cold
- Insole with fleece liner for added insulation and heat retention
- Lace flap and neoprene ankle collar keep out water and dirt
- Adaptable cup insole with fleece liner
- Speed lacing system allow fast, easy adjustments and a secure fit 360-degree Fluorescent reflective printing
- SIZE
- 38 48








SHIMAND DYNALAST

MATERIAL TECHNOLOGY

SHIMANO has developed a new frontier in moisture control with our 3D mesh. Three layers that 1/ control temperature, 2/ wick away moisture, and 3/ ensure an ideal fit. 3D Dry Mesh keeps feet comfortable during quick transitions and extended rides.



TRIATHLON FOOTWEAR



TR9

ELITE TRIATHLON RACING SHOE DESIGNED TO QUICKEN TRANSITIONS AND OPTIMIZE POWER

FEATURES

- T1-Quick strap and extra-wide collar simplifies foot entry and quickens transitions
- Asymmetrical heel loop makes it easier to get your finger
- through the loop to quickly secure the shoe during transitions • 3D breathable mesh for optimal ventilation
- 3D breathable mesh for optimal ventilation
- Anatomical toe cap with air intake maintains rigidity and breathability
- Lightweight, super-stiff carbon fiber composite sole
- efficiently transfers power
- Dual Density Cup Insole

SIZE

• 36, 37 - 47 in half sizes, 48, 49, 50









SHIMAND DYNALAST



TR5

TRIATHLON PERFORMANCE SHOE DESIGNED TO QUICKEN TRANSITIONS AND OPTIMIZE POWER

FEATURES

- T1-Quick strap and extra-wide collar simplifies foot entry and quickens transitions
- Asymmetrical heel loop makes it easier to get your finger through the loop to quickly secure the shoe during transitions
- 3D breathable mesh for optimal ventilation
- Lightweight glass fiber reinforced nylon sole
- SPD-SL and SPD cleat compatibility
- Adaptable Cup Insole

SIZE

• 36 - 52





SHIMANO DYNALAST



XC-RACING FOOTWEAR









THE PINNACLE OF OFF-ROAD COMPETITION FOOTWEAR

FEATURES

- Dedicated X-Country and Cyclocross no compromising racing shoe
 Low stack height sole helps stabilize foot during the downward pedaling stroke
- . A one-piece surround upper, narrow bottom, rounded heel and slim toe box provide a glove-like fit
- Dual independent Boa® IP1 dials allow quick and precise microadjustment
- Asymmetric eyestay pattern prevents twisting of foot under high power pedaling
- \bullet Proprietar MICHELIN $^{\otimes}$ outsole minimizes weight, and offers increased traction

SIZE

- 36,37 47 in half sizes, 48
- Wide type size: 38 47 in half sizes, 48













SHIMAND DYNALAST



OFF-ROAD RACING SHOES FOR COMFORT AND MAXIMUM OFF-ROAD PERFORMANCE

FEATURES

- Ultra-rigid, lightweight carbon fiber reinforced midsole
 Supple high-density synthetic leather with perforated venting for
 superior fit
- Boa® IP1 dials with Powerzone wire guide and Front strap hold foot securely
- Adaptable cup insole
- Exclusive MICHELIN® high-traction, mud-shedding tread pattern outsole
- Dual density rubber compounds provide the right balance of grip, durability and flexibility
- Rubber anti slip arch outsole pattern

SIZE

- 38 50
- Wide type size: 38 48









BOA° Shimand dynalast





THE SHOE FINE-TUNED AT EVENTS AROUND THE GLOBE

RIDE AND WALK WITH SECURITY

Designed for multi-surface rides where the rider is on and off the bike.

EFFICIENT POWER TRANSFER

Supportive with Stiffness Level 7, features lightweight carbon fiber reinforced mid-sole.

LACE FIT AND MPS CONTROL

Mini Power Strap shoe lacing system securely holds foot.

MICHELIN® OUTSOLE Exclusive MICHELIN[®] high

traction, mud-shedding tread pattern outsole.

MICHELIN

SPIKE MOUNTS Reinforced spike mounts for X and CX racing applications.

Only 301 grams (Size 42).

MEN'S AND WOMEN'S VERSIONS The XC5 is specifically designed for both men and women.





GRAY/ORANGE SH-XC500



COMFORTABLE AND FUNCTIONAL MIXED TERRAIN SHOES

FEATURES

- Mini power strap shoe lacing securely holds foot
- Lightweight and rigid carbon fiber reinforced midsole
- Supple synthetic leather with perforated venting for superior fit
- Exclusive MICHELIN® high-traction, mud-shedding tread
- Rubber anti-slip arch outsole pattern
- Reinforced spike mount for extreme conditions, 18 mm spike option
- Includes additional laces
- SIZE • 38 - 50









SHIMAND DYNALAST



DON'T JUST PUSH THE LIMIT. REDEFINE IT.

Human feet have the right balance of flexibility and resilience to conquer all sorts of terrain. So why don't off-road cycling shoes? SHIMANO understands that aggressive trail riding and racing demands the right mix of protection, stability, and surprisingly, flex when the going gets really tough.

TORBAL (Torsional Balance) improves balance and bike control by letting the heel section accommodate some lateral movement, while optimizing pedaling efficiency at the sole/cleat interface. Flexibility better-connects the rider and pedal with what the bicycle is doing underfoot, while maintaining comfort and flexibility through all ranges of rider motion.

DURABLE CONTACT AREAS

Pedal contact areas, toe and heel boast a SHIMANO-standard blend of grip and durability.



TORSIONAL SOLE ALLOWS NATURAL RIDER "FLOW" MOTION

TORBAL solution provides sideways flex in the back section of the sole.



DUAL-DENSITY RUBBER SOLE

For the demanding conditions of trail-enduro mountain biking.



PROPRIETARY DESIGNED MICHELIN® SOLE

SHIMANO & MICHELIN® in collaboration have developed the new sole that combines Dual-Density Rubber & Strategic Lug Placement Pattern for better grip without compromising pedaling efficiency.

EXPANDED CLEAT-ADJUSTMENT RANGE



All trail and enduro models offer a lengthened cleat-adjustment range to support a wider variety of riders and riding styles.

| Size | Expanded |
|-----------|----------|
| #36 - #39 | +5 mm |
| #40 - #42 | +6 mm |
| #43 - #45 | +7 mm |
| #46 - #48 | +8 mm |
| #49 - #52 | +9 mm |

HIGH-TRACTION RUBBER

Lugs on the outer edges provide excellent traction on the widest variety of terrains.





SH-ME7

MULTI-CONDITION TRAIL/ENDURO SHOE FASTER WITH MORE CONTROL

FEATURES

- Combining the lightweight and pedaling effectiveness of a XC shoe with the durability, grip, and armor aggressive trail riders require
- Reinforced armor provides great protection and excellent durability Stretch Neoprene ankle collar offers additional protection from
- trail debris • Speed lacing system adapts to wide range of foot shapes with a
- secure fit
- Super low-profile, reverse mount buckle securely holds foot Extra-cushion insole
- MICHELIN[®] high-performance, dual-density rubber outsole offers superior traction with unmatched durability, stability, and slip resistance

SIZE

• 38 - 50







MICHELIN TORBAL





SH-ME5

TRAIL SPECIFIC SHOE THAT OFFERS EXCELLENT OFF BIKE TRACTION WITH STIFFNESS FOR EXCELLENT POWER TRANSFER

FEATURES

• Super low-profile, reverse mount buckle and Cross X-Strap securely holds foot Extra-cushion insole • Dual density, durable rubber outsole offers traction in any conditions

SIZE • 38 - 50





TORBAL



84

MOUNTAIN ENDURO FOOTWEAR







BLACK/ORANGE SH-ME300

ME3 NEW

VERSATILE OFF-ROAD SHOE DESIGNED TO PERFORM AND FUNCTION FLAWLESSLY ON AND OFF THE BIKE

FEATURES

 TORBAL midsole allows natural rider "flow" motion while riding • Low-profile reverse buckle and cross X-strap secure foot • Lightweight rubber outsole offers all-conditions traction • Glass fiber reinforced midsole for power transfer

SIZE • 36 - 52













ME2 NEW

EXCEPTIONAL PERFORMANCE, DURABILITY, AND VALUE ARE COMBINED IN THIS ENTRY LEVEL MTB SHORT SHOE

FEATURES

- Three durable hook and loop straps for even and sure fit
- Cross X-strap offers firm and stable foot hold during pedaling
- Durable rubber tread offers excellent walking traction
- Glass fiber reinforced midsole for power transfer

SIZE

• 36 - 50







THE SOLE OF AGGRESSIVE DOWNHILL RIDING.

Gravity riding is different. Downhill, all-mountain and freeride riders demand ruggedness, comfort and protection. SHIMANO's AM shoe program is focused on providing maximum control and confidence. All AM series footwear provides proven efficiency and performance with features and fit fine-tuned for the unique demands of gravity riding.

EXPANDED CLEAT-ADJUSTMENT RANGE

Designed to be longer towards the back to support a wider variety of riding styles and preferences.

OPTIMIZED SHANK PLATE

Pro rider calibrated shank plate delivers optimal rigidity and bike control.

EVA MID SOLE

EVA foam construction reduces weight and boosts walking comfort.

GRAVITY SPECIFIC RUBBER

Special rubber compound maximizes grip and durability.

HIGH WALL PROTECTION Reinforced sidewall protects your

feet on aggressive gravity rides.

HIGH-TRACTION TREAD PATTERN

Increases traction for superior offthe-bike grip.

PEDAL CHANNEL



PEDAL CHANNEL Provides more stable contact between shoe and pedal when clipped out.





AM9

FLAGSHIP DOWNHILL/ENDURO SPD SHOE WITH ADDED PROTECTION AND IMPROVED PEDAL CONTACT WHEN CLIPPED IN OR OUT

FEATURES

- Armored lace shield provides extra protection from debris
- Molded toe cap for additional toe protection
- Padded asymmetric ankle collar and sidewall sole for protection
- Speed lacing system allows fast, secure adjustments
- Pedal channel for stable shoe to pedal platform when not clipped
 in
- Ultra-grip rubber sole with toe and heal traction tread improve walking
- Materials absorb less water and dry quickly
- SIZE
- 36 48







VERSATILE DOWNHILL/ENDURO SPD SHOE WITH EXCEPTIONAL PEDALING PERFORMANCE

FEATURES

Perforated synthetic upper with mesh for heat management
Molded toe cap for additional toe protection
Stretch mesh ankle collar offers additional debris protection
Pedal channel for stable shoe to pedal platform when not clipped in
Includes one pair of alternative color spare laces
Ultra-grip rubber sole with toe and heal traction tread improve walking

| IZE | |
|------|----|
| 36 - | 48 |





PEDAL CHANNEL



PEDAL CHANNEL

▶ 5





AM5

GRAVITY SHOES WITH A FOCUS ON STYLE, COMFORT AND PROTECTION


FEATURES

Tough synthetic leather with raised rubber out sole for foot
protection

- Asymmetric mid-top design and padded tongue protects your foot
- \bullet Hook & Loop single strap secures and protects your laces
- Ultra grip rubber sole with optimized stiff glass fiber reinforced
- shank plate
- Flat Insole
- SIZE
- 36 48









MAKE FRIENDS WITH GRAVITY

Our GR series complements the AM series' offerings with shoes specifically designed for the demands of gravity-assisted riding. Riding flat pedals calls for even more interface between shoe and pedal. SHIMANO System Engineering is the only shoe + pedal designed from the ground up to meet the demands of the gravity rider.



TOE PROTECTION

Molded toecap for additional toe protection during aggressive downhill riding.

PLATFORM INTERFACE DESIGN

Optimized sole pattern provides excellent grip on both pedals and ground.

MICHELIN® OUTSOLE

MICHELIN[®] flat outsole specifically designed to SHIMANO specifications offers superb grip.



ASYMMETRICAL UPPER

Asymmetrically raised padded ankle collar and sidewall sole protect your foot.



SPEED LACING SYSTEM Speed Lacing System allows fast, easy adjustments and a secure fit

easy adjustments and a secure fit.

ARMOR FLAP

Quick lace with armor cover for added protection.

QUICK DRYING

Synthetic leather uppers absorb less water and dries quickly.



GRAVITY FOOTWEAR





GR9 NEW

PREMIER DOWNHILL/ENDURO SHOE FOR FLAT PEDALS WITH SUPERB GRIP, ENHANCED PROTECTION, AND WALKABILITY

FEATURES

- MICHELIN® rubber outsole for superb grip on pedal and ground
 Armored lace shield provides extra protection from debris
 Molded toe cap for additional toe protection
 Asymmetrically raised padded ankle collar and sidewall sole
 Speed lacing system allows fast, secure adjustments
- Materials absorb less water and dry quickly
- SIZE
- 36 48











VERSATILE ENDURO/TRAIL SHOE FOR FLAT PEDALS WITH SUPERB GRIP, ENHANCED PROTECTION, AND WALKABILITY


FEATURES

- $\bullet\, \text{MICHELIN}^{\, \otimes}\, \text{rubber outsole for superb grip on pedal and ground}$
- Perforated synthetic upper with mesh for heat management
- Molded toe cap for additional toe protection
- Stretch mesh ankle collar offers additional debris protection
- Includes one pair of alternative color spare laces
- Materials absorb less water and dry quickly

SIZE • 36 - 48



GORE-TEX



COLD WEATHER PROTECTION

SHIMANO

SHIMANO MW7 winter shoes are engineered with GORE-TEX® Insulated Comfort technology for protection and comfort in cold weather conditions. Designed for riding in rain, snow, and cold, they combine durable waterproof construction and optimized breathability with the added warmth of insulation. This makes them an ideal solution for trail riders without an off-season.

RE-TEX[®] and designs are trademarks V. L. Gore & Associates

SEVERE CONDITIONS FOOTWEAR



<u>۶</u>

450 g (SIZE 42)

<mark>∢</mark> SPD

SYNTHETIC SPEED LACING

GORETEX TORDAL

MW7

TOUGH, INSULATED, WATERPROOF AND COMFORTABLE BUILT FOR RIDERS WITHOUT AN OFF-SEASON

FEATURES

• Waterproof GORE-TEX® Insulated Comfort liner for maximum comfort

- Lace shield design and high cut cover construction
 Insole with fleece liner for added insulation and heat retention
- 360-degree reflectivity for high visibility
- Torsional midsole "TORBAL" allows natural rider "flow" motion during downhill descents
- Rubber outsole improves grip in wet and slippery conditions
- SIZE
- 38 48



MW5

BUILT FOR RIDERS WITHOUT AN OFF-SEASON

FEATURES

- DRYSHIELD® membrane with fleece liner keeps feet warm and comfortable in rain, wind, cold and mud
- \bullet Insole with fleece liner for added insulation and heat retention
- Lace flap and neoprene ankle collar keep out water and dirt
- Speed lacing system allow fast, easy adjustments and a secure fit
- Adaptable cup insole with fleece liner
- Durable rubber tread offers excellent grip and traction
- SIZE • 38 - 48





S-PHYF





FEATURES

• Casual sneaker-style design for everyday cycling life Hidden inner shank plate transfers power to the pedals • Shock absorbing EVA mid sole maximizes walking comfort Easy cleat installation Optimized for SPD and SHIMANO CLICK'R pedal systems

SIZE • 36 - 48

2 342 g(suede) 332 g(mesh) (SIZE 42)



EXPLORER SERIES FOOTWEAR









NEW NAVY SH-RT500

RT5

THE SMART AND VERSATILE ON-ROAD CYCLING SHOE

FEATURES

- Classic 3-strap styling, pedaling performance and walking comfort
- Three wide-strap closures for added upper rigidity
- Glass fiber reinforced shank plate for optimum sole rigidity • Full length rubber sole enhances walking comfort
- Durable perforated synthetic leather upper designed to ensure a
- snug, secure fit
- Adaptable cup insole
- 360-degree reflectivity for high visibility in urban environments
- SIZE
- 36 48









DARK GRAY MELANGE SH-RT400

RT4

THE SMART AND VERSATILE ON-ROAD CYCLING SHOE

FEATURES

- Classic lace-up styling, pedaling performance and walking comfort
- Simple lacing closure for even tension
- Glass fiber reinforced shank plate for optimum sole rigidity
- Full length rubber sole enhances walking comfort
- Durable supple synthetic leather/fabric upper designed to ensure a snug, secure fit
- Adaptable cup insole
- 360-degree reflectivity for high visibility in urban environments

SIZE • 36 - 48





SHIMAND DYNALAST



XM9

MULTI-SEASON, ALL-CONDITIONS ADVENTURE SHOES

FEATURES

- Flexible half length shank plate and shock absorbing EVA delivers
- trail walkability within a serious cycling shoe Mid-top design offers added stability, ankle protection and walking
- support Cup insole
- Breathable, waterproof GORE-TEX® performance Comfort
- FOOTWEAR liner keeps your feet dry Natural nubuck leather with reinforced rubber toe box for
- protection and durability
- Strategic ankle padding prevents debris from entering the shoe without interfering with pedaling movement



• 36 - 48







XM7 DURABLE CROSS MOUNTAIN ADVENTURE SHOES

FEATURES

- Flexible half length shank plate and shock absorbing EVA delivers outdoor walkability within a serious cycling shoe
- Cup insole
- VIBRAM® outsole provides superior grip and foot control in all conditions
- Lacing closure with top strap offers secure closure and snug fit • Breathable, waterproof GORE-TEX® performance Comfort
- FOOTWEAR liner keeps your feet dry
- Natural nubuck leather with reinforced rubber toe box for protection and durability
- SIZE
- 36 48





DETAILS BUILT FOR ADVENTURE.

Materials and features that are built to take a beating while keeping you comfortable.



ALL-SEASON COMFORT

All-season performance, comfort, and weather protection. The GORE-TEX[®] membrane has more than 1.4 billion microscopic pores per square cm. Each pore is 20,000 times smaller than a drop of water so that no rain can penetrate it. At the same time it is 700 times larger than a water vapor molecule, so sweat can escape. In GORE-TEX® footwear your feet always stay dry and comfortable.

Moisture vapor (sweat)

Upper material

Protective knit


Inner lining

GORE-TEX[®] membrane

Moisture elements


1 P







/IBRAM® OUTSOLE














optimized climate

omfort.



Π P $\overline{}$ \bigcirc R $\overline{}$



BEST MATCH PD-M8020,PD-T8000 ORANGE SH-MT700







HIKEABLE CYCLING SHOE WITH BOA® CLOSURE OFFERS MOUNTAIN TOURING VERSATILITY

FEATURES

- Durable synthetic leather with reinforced rip-stop mesh for breathability
- Boa[®] L6 dial allows quick and precise micro-adjustment
- EVA midsole and rubber sole for pedaling efficiency, walking comfort
- Flexible half-length shank, shock absorbing EVA perform on and off bike

SIZE • 36 - 48

EXPLORER SERIES FOOTWEAR

4

376 g (SIZE 42)

5

BOA

SVITHETIC REKKING CASUAL





SH-MT5

MULTI-USE/TOURING SHOE

FEATURES

- Outdoor-style inspired cycling shoes combine the walkability of light hiking shoes with the performance of a MTB shoe
- Glass fiber reinforced shank plate for optimum sole rigidity
- EVA midsole and rubber sole enhance pedaling efficiency and walking comfort
- Flat insole
- One piece construction creates an upper with secure fit, increased durability, and lighter weight
- Speed lacing allow fast, easy adjustments and top strap offers additional adjustability

SIZE • 36 - 48







SH-MT3

MULTI-USE/TOURING SHOE

FEATURES

• Designed for recreational on- and off-road cycling, the MT series are outdoor styled shoes designed for many riding styles Classic lace-up styling, designed for recreational on-or off-road
 pedaling performance with excellent walking comfort

Flat insole

• One piece construction creates an upper with a secure fit, increased durability, and lighter weight

SIZE • 36 - 48







SH-SD5

SPD CYCLING SANDAL

FEATURES

• A great choice for casual riding with pedaling efficiency in seasonal weather

- Flat foot bed for long distance comfort
- Glass fiber reinforced shank plate for optimum sole rigidity
- Wide, stable rubber sole for comfortable riding and walking • Durable synthetic leather upper with moisture control mesh
- layering
- Classic dual strap design for an efficient, secure, comfortable fit
- SIZE
- 37/38 47/48





PURPOSEFUL DESIGN

PERFORMANCE PLUS STYLE

HIGH-PERFORMANCE

Road endurance specific ultra-light carbo composite outsole with Stiffness Level 9.

COMFORT FIT

Supple synthetic leather with perforated venting for superior comfort.

ULTRA LIGHTWEIGHT Lightweight efficiency, only 217 grams (Size 40).

EXTERNAL HEEL CUP External curved heel cup stabilizes and holds the foot firmly in place.

THE BOA® SYSTEM Micro-adjust Boa® L6 dial with hidden wire guides.

WOMEN'S FOOTWEAR







RP5 WOMEN

NIMBLE AND ROBUST PERFORMANCE BUILT SPECIFICALLY FOR THE ASPIRING WOMAN RIDER

FEATURES

- Seamless one-piece upper for ideal fit and all-day comfort
- Light carbon fiber reinforced nylon sole for power transfer
- Micro-adjustable Boa® L6 dial with hidden wire routing
- Women's specific fit for a more natural, comfortable fit
- Durable, wide heel pads provide walking stability
- Optimum linkage of air flow over upper, insole, and outsole SIZE







BOA SHIMAND DYNALAST



RP7 WOMEN

FLAGSHIP WOMEN'S ROAD PERFORMANCE SHOE DELIVERS UNPARALLELED COMFORT AND EFFICIENT PERFORMANCE FOR LONGER RIDES

FEATURES

 Supple, perforated high-density synthetic leather for superior fit • Light carbon composite outsole for optimized long ride stiffness • Micro-adjustable Boa® L6 dial with hidden wire routing • Women's specific fit for a more natural, comfortable fit External curved heel cup secures the heel and foot

SIZE

• 36, 37 - 44 in half sizes





SHIMAND DYNALAST

BLACK SH-RP300 WOMEN





RP3 WOMEN

A COMFORTABLE AND EFFICIENT RECREATIONAL SHOE WITH EXPERT-LEVEL FEATURES

FEATURES

- Secure closure, two hook & loop straps plus a buckle for a firm fit
- Off-set Strap relieves tension at highest point of the foot
- Supple padded tongue feels great
- Women's specific fit for more natural, comfortable fit
- Lightweight glass fiber reinforced nylon sole for power transfer
- Indoor cycling friendly SPD and SPD-SL cleat compatible
- Adaptable Cup Insole

SIZE • 35 - 44





BEST MATCH

PD-R550, PD-R540,

PD-R540-LA, PD-A520*

*SPD pedals can be used only with SPD cleats with

the adapter SM-SH40





BEST MATCH PD-R550, PD-R540, PD-R540-LA, PD-A520* *SPD pedals can be used only with SPD cleats with the adapter SM-SH40 BLACK SH-RP200 WOMEN



RP2 WOMEN

ESSENTIAL PERFORMANCE SHOE FOR LONG CLUB RIDES AND RECREATION RIDING

FEATURES

- 3 durable hook & loop straps spread tightening force across the top of the foot
- Off-set Strap relieves tension at highest point of the foot
- Extra cushioned tongue for added comfort
- Women's specific fit for a more natural, comfortable fit • Lightweight glass fiber reinforced nylon sole for power transfer • Indoor cycling friendly SPD and SPD-SL cleat compatible

Adaptable Cup Insole

SIZE • 36 - 44





SHIMAND DYNALAST



WOMEN'S FOOTWEAR





WOMEN'S ELITE TRIATHLON SHOE DESIGNED TO QUICKEN TRANSITIONS AND OPTIMIZE PEDAL POWER

FEATURES

- T1-Quick strap and extra-wide collar simplifies foot entry and quickens transitions
- Asymmetrical heel loop to quickly secure the shoe during transitions
- 3D breathable mesh for optimal ventilation
- Anatomical toe cap with air intake maintains rigidity and breathability
- Women's specific fit for a more natural, comfortable fit
- Lightweight, super-stiff carbon fiber composite sole efficiently transfers power
- Dual Density Cup Insole
- SIZE
- 36 44







SHIMAND DYNALAST



TR5 WOMEN

TRIATHLON PERFORMANCE SHOE DESIGNED TO QUICKEN TRANSITIONS AND OPTIMIZE POWER

FEATURES

- T1-Quick strap and extra-wide collar simplifies foot entry and quickens transitions
- Asymmetrical heel loop makes it easier to get your finger through the loop to quickly secure the shoe during transitions
- 3D breathable mesh for optimal ventilation
- Women's specific fit for a more natural, comfortable fit
- Lightweight glass fiber reinforced nylon sole
- SPD-SL and SPD cleat compatibility Adaptable Cup Insole

SIZE • 36 - 44







SHIMAND DYNALAST

\bigcirc OT/



XC5 WOMEN

COMFORTABLE AND RELIABLE WOMEN'S SPECIFIC PERFORMANCE FOR X-COUNTRY, CYCLO-CROSS, AND GRAVEL ROAD RIDING

FEATURES

- Lace closure with MPS (Mini Power Strap) securely holds foot
- Lightweight and rigid carbon fiber reinforced midsole
- Supple synthetic leather with perforated venting for superior fit
- Exclusive MICHELIN® high-traction, mud-shedding tread
- Rubber anti-slip arch outsole pattern
- Reinforced spike mount for extreme conditions, 18 mm spike option

SIZE • 36 - 44



WOMEN'S FOOTWEAR



GRAY/MAGENTA SH-ME200 WOMEN FEATURES SIZE • 36 - 44





ME2 WOMEN

EXCEPTIONAL PERFORMANCE, DURABILITY, AND VALUE ARE COMBINED IN THIS ENTRY LEVEL MTB SHORT SHOE

- Three durable hook and loop straps for even and sure fit
- Cross X-strap offers firm and stable foot hold during pedaling
- Durable rubber tread offers excellent traction for walking
- Glass fiber reinforced midsole for power transfer
- Women's specific fit for a more natural, comfortable fit







GRAY/MINT SH-ME300 WOMEN

BLACK/MAGENTA SH-ME300 WOMEN

ME3 WOMEN

VERSATILE OFF-ROAD MTB AND TRAIL WOMEN'S SHOE DESIGNED TO PERFORM AND FUNCTION FLAWLESSLY ON AND OFF THE BIKE

FEATURES

• TORBAL midsole allows natural rider "flow" motion while riding • Low-profile reverse buckle and cross X-strap secure foot • Lightweight rubber outsole offers all-conditions traction Glass fiber reinforced midsole for power transfer • Women's specific fit for a more natural, comfortable fit

SIZE • 36 - 44



BEST MATCH PD-M530, PD-M520





GR7W

VERSATILE WOMEN'S ENDURO/TRAIL SHOE FOR FLAT PEDALS WITH SUPERB GRIP, ENHANCED PROTECTION, AND WALKABILITY

FEATURES

- MICHELIN® rubber outsole for superb grip on pedal and ground
- Perforated synthetic upper with mesh for heat management
- Molded toe cap for additional toe protection
- Stretch mesh ankle collar offers additional debris protection Includes one pair of alternative color spare laces
- Materials absorb less water and dry quickly
- **SIZE** 36 44





BLACK SH-CT500 WOMEN

MINT SH-CT500 WOMEN

CT5 WOMEN

A UNIQUE AND VERSATILE CYCLING SHOE CLEVERLY DISGUISED AS AN URBAN SNEAKER

FEATURES

HSF

- Casual sneaker-style design for everyday cycling life
- Hidden inner shank plate transfers power to the pedals
- Shock absorbing EVA mid sole maximizes walking comfort
- Easy cleat installation • Optimized for SPD and SHIMANO CLICK'R pedal systems
- SIZE

• 36 - 44





SHIMANO CLICK'R



SHIMAND DYNALAST



THE SMART AND VERSATILE ON-ROAD CYCLING SHOE

FEATURES

- Classic lace-up styling, pedaling performance and walking comfort
- Simple lacing closure for even tension
- Glass fiber reinforced shank plate for optimum sole rigidity
- Full length rubber sole enhances walking comfort
- Durable supple synthetic leather/fabric upper designed to ensure a
- snug, secure fit
- High density cup insole
- 360-degree reflectivity for high visibility in urban environments







110

WOMEN'S FOOTWEAR



Excrements Structure Brandowne

SH-MT5W MULTI-USE/TOURING SHOE

FEATURES

- The high-performance off-road cycling shoe with walkability of light hiking shoes.
- Glass fiber reinforced shank plate for optimum sole rigidity
- EVA midsole and rubber sole enhance pedaling efficiency and walking comfort
- Flat insole
- One-piece construction creates an upper with secure fit, increased durability, and lighter weight.
- Speed lacing allow fast, easy adjustments, top strap offers additional adjustability.
- SIZE
- 36 44



SH-MT3W MULTI-USE/TOURING SHOE

FEATURES

- Designed for recreational, on- and off-road cycling
- Classic lace-up styling, designed for recreational on- or offroad pedaling performance with excellent walking comfort
 Flat insole
- One piece construction creates an upper with a secure fit, increased durability, and lighter weight
- SIZE





INSOLES



CUSTOM-FIT INSOLE (RC9)

DUAL DENSITY AND HEAT-MOLDABLE, CUSTOM-FITTING INSOLE DISPERSE PRESSURE OF THE PLANTAR EVENLY, IMPROVE POWER TRANSMISSION AND INCREASE COMFORT. ADAPTABLE ARCH PADS OPTIMIZE ARCH SUPPORT. ANTI-SLIP SURFACE KEEP YOUR FEET IN RIGHT PLACE AND SUPPORT PEDALING EFFICIENCY.

COMPATIBLE WITH

For SH-RC900/R321/R320/R315/R310/RP901/RP900/R260/R241/R240/R191/R190/RC700/R171/ R170/R133/R132/RP501/RP501 WOMEN/RP500/RP500 WOMEN/R107/R106/R105/RP300/RP300 WOMEN/R088/R087/RP200/RP200 WOMEN/R078/R077/RP100/R065/R064/RW500/TR900/TR900 WOMEN/TR60/TR52/TR500/TR500 WOMEN/TR32/TR31/RT82/RT33/RT32/XC900/XC90/XC70/ XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/XC51N/XC50/XC50N/XC31/M315/M310/M240/ MW81/MW500/MT91/MT71/MT54/RT500/RT500 WOMEN/RT400/RT400 WOMEN/ WR84/WR83/WR82/WR81/WR62/WR61/WR60/WR42/WR41/WR32/WR31/WT60/WT52/WM83/ WM53/WF23/FN23

S-PART NO.

ESMSHRC900INCF(size)

AVAILABLE SIZES

• 36 - 37.5, 38 - 39.5, 40 - 41.5, 42 - 43.5, 44 - 45.5, 46 - 47.5, 48 - 50

HIGH DENSITY CUP INSOLE WITH ADAPTABLE ARCH

PADS(RP901)

DURABLE HIGH DENSITY FOAM. CURVED CUP INSOLE WITH ADAPTABLE ARCH PADS OPTIMIZES LATERAL ANGLE OF HEEL BONE. SILVADUR™ INTELLIGENT FRESHNESS STAY FABRIC FRESHER LONGER.

COMPATIBLE WITH

For SH-RC900/RC700/PR901/RP501/PR501 WOMEN/XC900/XC700/MW500/RT500/RT500 WOMEN/ RT400/RT400 WOMEN

S-PART NO. ESMSHRP9PIN(size)

AVAILABLE SIZES • 36 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48, 49 - 50



DUAL DENSITY CUP INSOLE(TR9)

THE CUP SHAPE OF THIS INSOLE SERVES TO OPTIMIZE THE HEEL ANGLE AND ENSURE STABILITY WHILE PEDALING. THIS INSOLE IS EQUIPPED WITH A HARD, HIGH-DENSITY, AND HIGHLY DURABLE EVA HEEL CUP.

COMPATIBLE WITH

For SH-RC900/R321/R320/R315/R310/RP901/RP900/R260/R241/R240/R191/R190/RC700/R171/ R170/R133/R132/RP501/RP501 WOMEN/RP500/RP500 WOMEN/R107/R106/R105/RP300/RP300 WOMEN/R088/R087/RP200/RP200 WOMEN/R078/R077/RP100/R065/R064/RW500/TR900/TR900 WOMEN/TR60/TR52/TR500/TR500 WOMEN/TR32/TR31/RT82/RT33/RT32/XC900/XC90/XC70/ XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/XC51N/XC50/XC50N/XC31/M315/M310/M240/ MW81/MW500/MT91/MT71/MT54/RT500/RT500 WOMEN/RT400/RT400 WOMEN/WR84/WR83/ WR82/WR81/WR62/WR61/WR60/WR42/WR41/WR32/WR31/WT60/WT52/WM83/WM53/WF23/ FN23

S-PART NO. ESMSHTR900IN(size

AVAILABLE SIZES • 36 - 50

UNIVERSAL INSOLE

IRM, HIGH BREATHABILITY INSOLE, EVA MOLDED CRADLE AND ARCH SUPPORT. FIT WTIH CURVED LAST SHOES.

COMPATIBLE WITH

For SH-R087/R086/R077/R076/R064/R063/RW80/TR71/TR70/TR52/TR51/TR31/RT82/RT81/RT52/RT33 / RT32/RT31/M230/M183/M183N/XC50/XC50N/XC30/M088/M087/M086/ME200/ME200 WOMEN/M077/ M076/M065/M064/M063/MW81/MW80/AM700/AM41/AM40/AM31/MP90/XM900/XM700/MT91/MT71/MT54/ MT60/MT53/MT52/MT43/MT42/MT33/MT32/MT23/MT22/FN23

S-PART NO. ESMSHUNCPISN(size)

AVAILABLE SIZES • 36 - 50

WOMEN'S INSOLE

FIRM, HIGH BREATHABILITY INSOLE. EVA MOLDED CRADLE AND ARCH SUPPORT. FIT WTIH CURVED LAST SHOES.



For SH-WR41/WR40/WR35/WR31/WT52/WT51/WM82/WM81/WM62/WM61/WM51/WM50/WM43/WM41/WF23 S-PART NO.

 ESMSHWUNCPIS(size) AVAILABLE SIZES

•36 - 44

DUAL DENSITY EXTRA-CUSHION INSOLE (M200)

THE CUP SHAPE OF THIS INSOLE SERVES TO OPTIMIZE THE HEEL ANGLE AND ENSURE STABILITY WHILE PEDALING. THIS INSOLE IS EQUIPPED WITH A HARD, HIGH-DENSITY, AND HIGHLY DURABLE EVA HEEL CUP, CUSHIONING IN THE HEEL SECTION PROVIDES ADDED COMFORT WHEN WALKING.



COMPATIBLE WITH

For SH-ME700/ME500/M200/M163/ME300/ME300 WOMEN/M089/M162/M161/M123/AM51/MW700/WM64

S-PART NO. ESMSHM200CPIN(size)

AVAILABLE SIZES • 36 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48, 49 - 50

CT/UT INSOLE

THIS INSOLE INCORPORATES SHOCK-ABSORBING EVA TO ENHANCE COMFORT WHILE WALKING.

COMPATIBLE WITH For SH-CT80/CT71/CT70/CT46/CT45/CT41/CT40/UT70/CW41/CW40 S-PART NO.

 ESMSHCT70IN(size) AVAILABLE SIZES

• 36 - 48



THIS INSOLE FEATURES GROOVES ON THE FRONT AND BACK THAT ARE

DESIGNED TO ADAPT TO VARIOUS FOOT SHAPES AND RIDING CONDITIONS.

COMPATIBLE WITH

For SH-AM901/AM900/AM701/AM500/GR900/GR700/GR700 WOMEN/MT700/MT500/MT500 WOMEN/ MT300/MT300 WOMEN/MT44/MT34/WM34/CT500/CT500 WOMEN

S-PART NO. ESMSHAM900IN(size)

AVAILABLE SIZES • 36 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48 SM-SH51 SPD CLEATS

SM-SH56 SPD CLEATS

STEP-IN" FEATURE.

Y42498201 (without cleat nut)

Y41S98100 (without cleat nut)

S-PART NO.

Y42498220

PD-M858

S-PART NO.

Y41S98092

CLEAT NUT

COMPATIBLE WITH

SM-SH51/52/55/56

• Y4L0E0400 (1 pc)

S-PART NO.

SINGLE DIRECTION RELEASE AND "EASY

MULTI-DIRECTIONAL RELEASE EXCEPT FOR

CLEATS



SPD-SL RELEASING ANGLE





S-PART NO.

SIZES

Y42U14200 (Normal)

• Y42U98070 (Medium)

• Normal (M5×8 mm) 1 pc

• Medium (M5×10 mm) 6 pcs

Long (M5×13.5 mm) 6 pcs

Y42U98060 (Long)

SM-SH10/11/12 SPD-SL CLEATS

S-PART NO SM-SH10 (fixed type) Y42U98020 • SM-SH11 (6 degree float type) Y42U98010 • SM-SH12 (2 degree front center pivoting type) Y40B98140











SPD CLEAT SPACERS

S-PART NO YL8098030





SM-SH40 SPD CLEAT ADAPTERS

DURABLE, NON-SLIP PU COATING ON PONTOON. LONG CLEAT MOUNT BOLTS AND NON-TURN BOLTS ARE INCLUDED.

COMPATIBLE WITH

SH-RP500/R107/RP300/R088/RP200/R078/R065/R064/TR500/TR32/TR31/RW500/ RP500 WOMEN/WR62/RP300 WOMEN/WR42/RP200 WOMEN/WR32/TR500 WOMEN

S-PART NO.

 ESMSH40M (without cleat) ESMSH4051M (with SM-SH51)

ESMSH4056M (with SM-SH56)



SM-SH41 SPD CLEAT ADAPTERS

SIMPLE ADAPTER WITH MINIMUM CLEAT ADJUSTABLE RANGF EXPAND SPD COMPATIBILITY OF ROAD SHOES.

For all SHIMANO 3-hole outsoles

S-PART NO. ESMSH41



SM-SH45 SPD-SL CLEAT COVERS



SH-M200/M163/M089/ME700/ME500/M163/M089

ESMSHM200CHS

SM-SH20 CLEAT SPACERS

SPD-SL CLEAT BOLTS

STACKABLE CLEAT SPACERS THAT PROVIDE BETWEEN 1 MM AND 5 MM OF HEIGHT-ADJUSTMENT RANGE

COMPATIBLE WITH SM-SH10/SH11/SH12 S-PART NO. Y40B98150

SIZES

 1 mm spacer 1 pc 2 mm spacer 2 pcs • M5×10 mm bolt 3 pcs • M5×13.5 mm bolt 3 pcs

S-PART NO. ESMSH45



COMPATIBLE WITH

S-PART NO.





CLEAT CAP

COMPATIBLE WITH SH-XM900/M700/MT71/MT700/MT54/MT53/MT500/MT500 WOMEN/ MT44/MT43/MT300/MT300 WOMEN/MT34/MT33/WM43/WM34/SD50/ CT80/CT71/CT70/CT46/CT45/CT41/CT40/UT70/CW41/CW40

S-PART NO. ESMSHMT33CC



CLEAT CAP COMPATIBLE WITH

SH-CT500/CT500 WOMEN S-PART NO.

• ESMSHCT500CC







COMPATIBLE WITH SH-XC900

COMPATIBLE WITH

SH-RC900

S-PART NO.

S-PART NO. BLUE : ESMSHXC900B0AB(L/R) BLACK : ESMSHXC900BOAL(L/R) • YELLOW : ESMSHXC900BOAY[L/R]

BLUE : ESMSHRC900B0AB(L/R)

WHITE : ESMSHRC900B0AW(L/R)

BLACK : ESMSHRC900BOAL(L/R)

YELLOW : ESMSHRC900B0ABY(L/R)



SPD SEAL

WATERPROOF SEAL FOR SPD S-PART NO. ESMSHME700SEAL



REPLACEABLE HEEL PADS

COMPATIBLE WITH SH-RC900 S-PART NO. ESMSHRC900HP

BUCKLES & STRAPS



ADAPTABLE BUCKLES & STRAP SET COMPATIBLE WITH

SH-R321/R171/RP900/RP500/RP500 WOMEN/WR84

S-PART NO. BLACK : ESMSHR321ABSSL2 • WHITE : ESMSHR321ABSSW2



BUCKLE SET

COMPATIBLE WITH SH-ME700/ME500/ME300/ME300 WOMEN

S-PART NO • BLACK : ESMSHME700BSSL



BOA IP1 REPAIR KIT 1 DIAL RIGHT OR LEFT

COMPATIBLE WITH

SH-RC700/XC700 S-PART NO.

 BLACK : ESMSHRCXC7BOAL(L/R) • WHITE : ESMSHRC700BOAW(L/R)

COMPATIBLE WITH SH-RP901

COMPATIBLE WITH

BOA L6 REPAIR KIT 1 DIAL

S-PART NO. WHITE : ESMSHRP901B0AW(L/R) NEW BLACK : ESMSHRP901B0AL(L/R) NEW NAVY : ESMSHRP901B0AN(L/R) NEW BLUE : ESMSHRP901B0AB(L/R) NEW





SH-RP700 WOMEN/MT700/RP501/RP501 WOMEN/MT700 S-PART NO.

 GRAY : ESMSHRP7PB0AWG(L/R) NEW BLACK : ESMSHRP501B0AL(L/R) NEW WHITE : ESMSHRP501B0AW(L/R) NEW



The Boa® System dials and laces guaranteed for the lifetime of the product on which they are integrated. For more information about THE BOA® GUARANTEE and order, please visit Boa® Technology website https://www.theboasystem.com/support



LOW PROFILE BUCKLES & STRAP SET

COMPATIBLE WITH

SH-R320/R315/R260/R241/R170/R107/RP300/RP300 WOMEN/XC90/XC70/XC61/ XC51/XC51N/M315/M200/M163/M089/WR83/WR62/WM83/WM64

S-PART NO.

• R315 type (color matching type) : ESMSHLOBWSS BLACK/BLACK : ESMSHLOLBLSS



LARGE BUCKLES & STRAP SET

COMPATIBLE WITH

SH-R310/R300/R191/R240/R220/R190/M310/M300/M240/M230/XC60/XC50/ XC50N/WR82/WR81/WR80/WM82

S-PART NO.

 Universal : ESHUNILBS R310/M310 type (color matching type) : ESHRM310BS



SMALL BUCKLES & STRAP SET

COMPATIBLE WITH

SH-R215/R133/R132/R131/R130/R106/R088/R087/R086/R085/RT82/RT81/RT80/ WR61/WR42/WR41/WR40/M225/M183/M182/M181/M162/M161/M088/M087/M086/ WM81/WM80/WM63/WM62/WM61

S-PART NO.

• Universal : ESHUNISBS BLACK/BLACK : ESMSHUNISBSL

SPEED LACING PARTS KIT

COMPATIBLE WITH

SH-MT54/MT44/CT71/CT46/MT500/MT500 WOMEN/M200/MW700/RW500/MW500/ AM901/GR900/ME700


S-PART NO.

 ESMSHMT44SLK(SH-MT54/MT44/CT71/CT46/MT500/MT500 WOMEN) ESMSHM200SLK[SH-M200/MW700/RW500/MW500/AM901/GR900/ME700]

MINI POWER STRAP SET

COMPATIBLE WITH SH-MT91 S-PART NO. ESMSHMT91MPS(size)





S-PART NO. ORANGE : ESMSHXC5PMGMPS NEW BLACK : ESMSHXC5PMLMPS NEW MAGENTA : ESMSHXC5PWGMPS NEW

SPIKES & ACCESSORIES



REMOVABLE TOE SPIKES(18 MM HEIGHT)

18 MM HEIGHT TOE SPIKE FOR XC900/XC700, LIGHTWEIGHT, HIGH TRACTION IN MUDDY GROUND.

COMPATIBLE WITH SH-XC900/XC700

AM515-PART NO ESMSHXC900SPIKE

REMOVABLE TOE SPIKES(10 MM HEIGHT)

COMPATIBLE WITH

SH-XC900/XC90/XC70/XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/ XC51N/XC50/XC50N/M315/M310/M240/M230/M183/M182/M162/M161/ M123/MW81/WM83/WM82/WM81/WM80/AM51

S-PART NO. ESHM225SPIKE

REMOVABLE TOE SPIKES(7.5 MM HEIGHT)

COMPATIBLE WITH

SH-XC900/XC90/XC70/XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/XC51N/ XC50/XC50N/M315/M310/M240/M230/M183/M182/M162/M161/M123/MW81/ WM83/WM82/WM81/WM80/AM51

S-PART NO. ESMSHXC90SPIKE

LOW PROFILE RESIN SPIKES

COMPATIBLE WITH SH-XC900/XC90/XC70/XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/ XC51N/XC50/XC50N/M315/M310/M240/M230/M183/M182/M162/M161/ M123/MW81/WM83/WM82/WM81/WM80/AM51

S-PART NO.

ESMSHXC60SPIKER

SPIKE PLUGS

COMPATIBLE WITH

SH-XC900/XC90/XC70/XC700/XC61/XC60/XC500/XC500 WOMEN/XC51/ XC51N/XC50/XC50N/M315/M310/M240/M230/M183/M182/M162/M161/

ESHM230SPIKE

(ESMSHRC900CLNT)

CLEAT NUT SET

COMPATIBLE WITH SH-R320/R321

ESMSHRC900CLNT

COMPATIBLE WITH SH-RP901/RP900/R260/RC700/R171/ R170/RP501/RP501 WOMEN/TR900/ TR900 WOMEN/TR60/WT60

S-PART NO. ESMSHRP900CLNT

M123/MW81/WM83/WM82/WM81/WM80/AM51 S-PART NO

COMPATIBLE WITH SH-RC900 S-PART NO.

S-PART NO.

ESMSHR321CLNT












FOOTWEAR ICONS

FEATURES





| OMPATIBLE WITH | |
|----------------|--|
| PD AND SPD-SL | |

| TIBLE WITH | |
|------------|--|
| D SPD-SL | |






| WITH | | |
|------|--|--|
| | | |





SHOES AND PEDALS RECOMMENDED USE IDENTIFICATION



TECHNOLOGIES



SIZING CHARTS

MEN'S FOOTWEAR



WOMEN'S FOOTWEAR

| | 35 | 36 | 37 | 37.5 | 38 | 38.5 | 39 | 39.5 | 40 | 40.5 | 41 | 41.5 | 42 | 42.5 | 43 | 43.5 | 44 |
|----|-----|------|-----|------|-----|------|------|------|----|------|-----|------|------|------|------|------|----|
| EU | | | | | | | | | | | | | | | | | |
| | 4.5 | 5 | 5.5 | 6 | 6.5 | 7 | | 7.5 | | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 5 11 | |
| US | | | | | | | | | | | | | | | | | |
| | 22 | 22.5 | 23 | 23.5 | 2 | 4 | 24.5 | | 25 | 25.5 | | 26 | 26.5 | 2 | 7 | 27.5 | |
| СМ | | | | | | | | | | | | | | | | | |

117

THE PEDAL SYSTEM THAT CHANGED CYCLING FOREVER

S-PHYRE FOOTWEAR **PEDALS** APPAREL BAGS EYEWEAR

TECHNOLOGIES

OFF-ROAD EXPLORER SERIE ACCESSORIES

ICONS

P. 142 P. 143

119

POWER TO THE PEDAL

At SHIMANO, "Power to the Pedal" is not a catch phrase, it's an obsession. Footwear and pedals designed together and engineered as a system, create a holistic outcome. Our pedal engineers collaborate with footwear experts to create the only shoe and pedal combination designed from the ground up to perform for each rider and their unique demands.

And true to SHIMANO's System Engineering philosophy, each combination of footwear and pedals — from SPD-SL, SPD, and CLICK'R, to the Platform Series — offers optimized biomechanics, engineering excellence, material selection, and craftsmanship to increase rider efficiency and confidence.

SPDSL

SPD-SL

POWER TRANSFER AND PEDALING EFFICIENCY PROVEN BY WORLD-CLASS RACERS

The SPD-SL pedal system delivers a seamless shoe + pedal interface for more efficient power transfer under extreme pedaling loads, with a wide cleat design for stability on or off the bike.

EXTRA-WIDE PLATFORM

The extra-wide platform dramatically expands the contact point between the cleat and pedal providing a solid connection when standing on the pedals.

SPRING TENSION ADJUSTMENT

SPD-SL pedals support three different ranges of springtension adjustment. Standard, Light Action, and Wide settings allow an optimal range to suit your individual preference and usage situation.

SPD

WALK AND RIDE PERFORMANCE FOR EVERY CONDITION

SPD delivers greater efficiency, increased stability, and added comfort both on and off the bike in the most challenging conditions, while recessed cleats make walking easy.

ADJUSTABLE ENTRY AND TENSION RELEASE

Adjustable tension allows the cleat to be set to each rider's preference.

MUD-SHEDDING DESIGN

An open-binding mechanism and refined axle-body housing allows mud and debris to be pushed out when the rider steps in.

CARTRIDGE SPINDLE BEARING UNIT

A cartridge bearing unit seals out dirt and moisture and greatly reduces the need for maintenance.

DURABLE, RELIABLE SHIMANO CONSTRUCTION

Off-road pedals must be able to take a hammering which is why SPD pedals achieve the ideal balance between lightweight, durability, and reliability.



PLATFORM

BUILT FROM THE GROUND UP FOR THE DEMANDS OF GRAVITY RIDERS

SHIMANO Platform pedals are engineered to deliver the DH, Park, or Trail rider the ideal balance of connection to the bike, pedaling stability, and on and of the bike freedom.

GRIP FOR AGGRESSIVE RIDING

Pedal body shape and stainless steel pin placement ensure riders have a direct and secure connection to the pedal, maximizing both control and pedaling efficiency.

OPTIMIZED PEDAL PLATFORM SIZE

M828 SAINT and M8040 DEORE XT pedals feature a concave surface (lower in the center and higher in the front/rear) to further enhance shoe to pedal interface and grip. Adjustable pins offer even more connection.

WEIGHT AND DURABILTIY

Materials, construction, shape, and thickness are all carefully considered to engineer a platform pedal with the best balance of lightweight, low Q-Factor, and durability across riding conditions. FEDAL FEGTINOLOG



SHIMANO CLICK'R

CLICK'R

ALL THE BENEFITS OF BEING CLIPPED IN, WITH EASY ENTRY AND RELEASE

CLICK'R pedals are ideal for any cyclist that wants SPD efficiency with a more user-friendly interface.

SHOES AND PEDALS DESIGNED TOGETHER

SHIMANO City and Mountain Touring Shoes feature a unique ladder-shaped "shank" plate. Together with our simple to use pedal, this ensures correct placement of a rider's ball-of-the-foot to transmit power to the pedal.

EASY IN, EASY OUT

and the second as

This system utilizes a refined recessed SPD cleat, which works with our CLICK'R pedals to transform comfortable walking shoes into a simple-to-use power transfer system.



ROAD PEDALS

The PD-R8000 brings the technologies from our flagship PD-R9100 to the ULTEGRA level. Its lightweight composite body, with integrated contact plates lowers the overall weight to just 248 grams — 14 grams less than the PD-R6800 it replaces. A sleek package that delivers competition-level performance to the road performance rider.

ULTEGRA PERFORMANCE Pro level performance for the enthusiast

Lightweight, yet durable design weighs

Wide platform delivers efficient power transfer and stability.

INTEGRATED CONTACT SURFACE

Durable integrated stainless body plate reduces weight, flex, and wear.



WIDE BEARING STABILITY

Wide bearing placement for stable and uniform load distribution.

PLUS 4 MM AXLE OPTION

Offered in two axle lengths, normal and +4 mm.

RIDER ADJUSTABLE

Adjustable entry and release tension settings adjust to rider preferences.









PD-R9100

THE LIGHTEST, MOST EFFICIENT DURA-ACE PEDAL EVER CREATED

FEATURES

- Optimized balance of weight and rigidity
- Injection-molded carbon-composite body
- Extra-wide platform for stability and power transfer
- Wide bearing placement for uniform load distribution
- Customize the entry and release tension settings
- SHIMANO 3-year limited warranty
- 4 mm longer axle model available







SHIMANO

ULTEGRA

LIGHTWEIGHT, PRO LEVEL PERFORMANCE FOR THE ENTHUSIAST RIDER

FEATURES

 Lightweight carbon-composite body • Extra-wide platform for a more efficient transfer of power • Durable stainless steel body plate reduces flex and pedal body wear • Wide bearing placement for stable, uniform load distribution Adjustable entry and release tension settings • 4 mm longer axle available







SHIMANO 105

PD-5800 FROM CLUB RIDING TO SERIOUS RIDING

FEATURES

Carbon-composite body

 Extra-wide platform for maximum efficient transfer of power

• Durable stainless steel body plate reduces flex and pedal body wear

• Wide bearing placement for stable, uniform load distribution

• Customize the entry and release tension settings • The SHIMANO style, quality and durability cyclists value







BLACK PD-R550



GRAY PD-R550

PD-R550

WIDE SPRING TENSION ADJUSTMENT RANGE FOR A WIDE RANGE OF RIDERS

FEATURES

- Wide spring tension adjustment range
- Larger entry target for easier engagement
- Composite body
- Extra-wide platform for maximum efficient transfer
- of power
- Durable stainless steel body plate reduces flex and wear
- Wide bearing placement for stable, uniform load distribution
- The legacy of SHIMANO design, guality and





PD-R540

WHITE



BLACK PD-R540

SILVER PD-R540

PD-R540

PROVEN PERFORMANCE ON THE RACE COURSE

FEATURES

- Wide platform for a more efficient transfer of power
- Wide bearing placement for stable, uniform load distribution
- Low maintenance sealed cartridge axle unit
- Customize the entry and release tension settings
- The legacy of SHIMANO design, quality and performance





WHITE PD-R540-LA



BLACK PD-R540-LA

PD-R540-LA

LIGHTEST ACTION PEDAL FOR RIDERS THAT DEMAND SPD-SL EFFICIENCY

FEATURES

- Wide platform for a more efficient transfer of power • Wide bearing placement for stable, uniform load

- Customize the entry and release tension settings











- Lighter spring action version of PD-R540
- distribution
- Low maintenance sealed cartridge axle unit
- The legacy of SHIMANO design, quality and
- performance







SPDS



SPD/PD-M820

SHIMANO SPD pedals have earned the top spots on the podium and in the minds of cyclists for more than 25 years. Hundreds of thousands of professional, amateur, and recreational racers and riders have trusted SHIMANO to deliver reliable performance in every condition. The PD-M820 takes its place as the downhill pedal that sets the standard for better bike control.



WIDE CONTACT AREA

Wide contact area for stable interface with SHIMANO AM series footwear.

LOW PROFILE

Thinner pedal body for lower stack height and less chance to contact obstacles.

ADJUSTABLE PINS

Four height-adjustable pins on each platform for a more secure grip when not clipped-in.

DURABLE AND STRONG

Slim yet durable chrome-moly spindle with 8 mm hex-wrench mount.



SIMPLE AND DURABLE

Non-pop-up alloy body for simplicity and durability plus protects binding mechanism from impacts and damage.

DESIGNED TO WORK TOGETHER Matches the SH-AM901 shoe.











PD-M9000

ULTIMATE POWER TRANSFER MATCHED WITH LEGENDARY INGENUITY AND RELIABILITY

FEATURES

- Wide pedal-to-shoe contact area
- Wider bearing placement for increased rigidity
- Slimmer, lighter axle
- Low platform height for pedaling stability
- Oval shape axle body housing for smoother mud & debris flow
- Slimmer axle unit increases open space between bindings





PD-M9020

INSPIRED TO TACKLE SINGLE TRACK AND TECHNICAL DESCENTS WITH CONTROL AND CONFIDENCE

FEATURES

bindings

Extremely wide pedal-to-shoe contact area
Wider bearing placement for increased rigidity
Increases stability and control when not clipped in
Protects binding mechanism against impacts
Oval shape axle body housing for smoother mud & debris flow
Slimmer axle unit increases open space between







PD-M8000

XC RACE PEDALS OPTIMIZED FOR MAXIMUM POWER EFFICIENCY

FEATURES

- Large pedal platform
- Mud shedding offset binding design
- Lower platform height for pedaling stability
- Robust retention claws provide smooth engagement
- and releaseCustomize the entry and release tension settings
- Strong, durable chrome-moly spindle with 8 mm hex wrench mount












PD-M8020

TRAIL AND ENDURO PEDALS ENGINEERED TO ENHANCE BIKE CONTROL

FEATURES

Wide pedal-to-shoe contact
Lower platform height for pedaling stability
Integrated cage increases stability and control when not clipped in and protects binding mechanism against

- impactsRobust retention claws provide smooth engagement
- and release • Customize the entry and release tension settings • Strong, durable chrome-molly spindle with 8 mm hex





AM



SILVER PD-M540



BLACK PD-M540

PD-M540

OPEN BINDING MECHANISM AND LIGHTWEIGHT FOR SERIOUS OFF-ROAD COMPETITORS

FEATURES

Classic SPD reliability and performance

- Customize the entry and release tension settings
- Better mud and debris shedding than any pedal in
- its class
- Chrome-moly spindle and low-maintenance sealed bearing cartridge axle







WHITE PD-M530



BLACK PD-M530

PD-M530

CLASSIC SPD RELIABILITY AND PERFORMANCE WITH AN OVERSIZED PLATFORM

FEATURES

- Integrated cage increases stability and control when not clipped in and protects binding mechanism against impacts
- Better mud and debris shedding than any pedal in its class
- Customize the entry and release tension settings
 Low-maintenance sealed cartridge axle









WHITE PD-M520

BLACK PD-M520

PD-M520

CLASSIC SPD RELIABILITY AND PERFORMANCE PERFECTED FOR MTB OR ROAD CYCLISTS

FEATURES

- Compact body design with open binding for easy-entry
- Better mud and debris shedding than any pedal in
- its class
- Customize the entry and release tension settings • Chrome-moly spindle and low-maintenance sealed
- bearing cartridge axle





SAINT-LEVEL SPD PEDAL FOR AGGRESSIVE DOWNHILL/ENDURO RIDERS

- Wider contact area enhances stability in combination with AM shoes
- Thinner pedal body for lower stack height and improved obstacle clearance
- Non-pop-up alloy pedal body for simplicity and
- durability
- Durable, yet slimmer chrome-moly spindle with 8 mm hex wrench mount
- Four height adjustable pins per side for improved grip when not clipped-in
- Pedal body protects binding mechanism against impacts



PD-M647

DESIGNED FOR THE RIGORS OF EXTREME RIDING AND BMX RACING

FEATURES

- "Pop-up" mechanism tilts the binding at a 12.5° angle
- for easy and fast entry
- Customize the entry and release tension settings
- Excellent mud and debris shedding ability
- Chrome-moly sealed cartridge spindle with reinforced steel collar









SPD

SPD SPD

DĤ

546 g(v pins)

546 g(w/o











PD-M545

DURABLE AND VERSATILE TO TAKE ON NEARLY ANYTHING

FEATURES

- "Pop-up" mechanism tilts the binding at a 12.5° angle
- for easy and fast entry
- Heavy-duty aluminum body and cages
- Chrome-moly spindle and low-maintenance sealed
- bearing cartridge axle
- Customize the entry and release tension settings



VERSATILE PLATFORM IS GREAT FOR MOST STYLES OF CYCLING

FEATURES

SPD

567 a

POP-UP

SPD

TR BMX

- "Pop-up" mechanism tilts the binding at a 12.5° angle for easy and fast entry
- Large high-impact resin cages
- Chrome-moly spindle and low-maintenance sealed
- bearing cartridge axle
- Customize the entry and release tension settings







OFF-ROAD PEDALS



Experienced and aggressive off-road riders are now looking for pedal options based on the specifics of the ride type, trail, and weather conditions. The SHIMANO platform pedal line is designed to deliver the same performance, quality, and durability that riders around the

Saint level construction and details include a 1 mm fore-aft concave on each side, virtual concave with 5 mm pins at front and rear,

important with a flat pedal. SHIMANO is the only system engineered solution that delivers platform footwear and pedals developed to











SILVER PD-GR500

PD-GR500

DURABLE FLAT PEDAL OFFERS VERSATILITY ACROSS TERRAIN AND RIDING STYLES

FEATURES

Concave platform for better grip, long-ride comfort, and efficiency
Height adjustable, bottom-loading replaceable pins
Chrome-moly spindle and low-maintenance, sealed bearing cartridge axle





NEW SAINT-LEVEL FLAT PEDAL WITH SUPERIOR GRIP, SUPPORT, AND DURABILITY

FEATURES

- Concave platform with "virtual concave" height adjustable pins
- Wide platform for more support and grip
- 12 pins per side with option of long or short pins
- Durable, yet slimmer chrome-moly spindle with 8 mm hex wrench mount



PD-M8040

NEW TRAIL-OPTIMIZED FLAT PEDALS WITH LEGENDARY PERFORMANCE AND DURABILITY

FEATURES

- Two size options (SM and ML) for optimized support
- and pedaling efficiency
- Concave platform for enhanced grip, long ride comfort,
- and efficiency
- 10 pins per side with option of long or short pins
 Strong, durable chrome-moly spindle with 8 mm hex
- Strong, durable chrome-moly spindle with 8 mm nex wrench mount
- SM : 100 mm x 105 mm for 36 44 GR shoe/ML : 110 mm x 115 mm for 43 - 48 GR shoe



PD-M8040-SM







PD-ED500/ ROAD TOURING PEDAL

The PD-ED500 double-sided, light-action SPD is designed for rides requiring frequent engagement and disengagement, such as City Touring. Lightaction springs allow for easy entry and exit making the new rider feel more confident. Two-sided entry makes clipping-in easier without the need to flip the pedal or look down.



CLEAN APPEARANCE

The PD-ED500 features a clean appearance body for use on lightweight road touring bikes.

EASY RIDER ADJUSTMENT

Easy-to-adjust entry and release tension settings.

LIGHT ACTION

Easy entry with narrow release is designed for City Touring use.





LOW-MAINTENANCE Low-maintenance sealed cartridge bearings.

DURABLE PERFORMANCE Chrome-moly spindle for long service life.

SAFE AND SECURE Included SM-SH56 multi-directional cleats.

SYSTEM ENGINEERED TO WORK TOGETHER

SHIMANO CT and RT footwear are designed to match for the PD-ED500.











PD-M324

VERSATILE SPD PEDAL FOR ENTRY-LEVEL USERS, GREAT FOR EVERYDAY CYCLING

 Combines the efficiency of the SPD system and the convenience of a platform pedal • Customize the entry and release tension settings • Sealed mechanism and serviceable cup & cone bearings





LIGHT ACTION, EASY IN AND OUT SPD ROAD TOURING PEDAL

FEATURES

- Double-sided light action SPD pedal design aids frequent entry and release.
- Adjustable entry and release tension settings
- Chrome-moly spindle and low maintenance sealed
- bearing cartridge axle
- SM-SH56 (multi-directional release cleat) included

SPD



PD-T8000

HIGH-QUALITY DUAL PLATFORM PERFORMANCE FOR TOURING, TREKKING AND COMMUTING

- Two-sided flexibility and performance
- Customize the entry and release tension settings
- Only 392 grams
- Concave cleat clearance on platform side
- High-grip pins
- Sealed cup and cone bearings



EXPLORER SERIES PEDALS







PD-A600 NEW COLOR PREMIUM ROAD SPD PEDAL

• Lightest ever SPD pedal at ULTEGRA level • Wide platform for more efficient transfer of power from SPD shoes

 Aerodynamic, single-entry SPD design • Recessed SPD shoe compatible allows off the bike

walking Customize the entry and release tension settings



PD-A530

OUR MOST VERSATILE ROAD SPD PEDAL

BLACK PD-A530

- Dual efficient step-in SPD and a concave stable
- platform
- Clean, svelte, attractive appearance
- Low-maintenance sealed cartridge axle unit
- Customize the entry and release tension settings The legacy of SHIMANO design, guality and
- performance



PD-A520 PRACTICAL PLATFORM FOR ROAD CYCLISTS

- Lightweight, aerodynamic single-entry SPD design
- Recessed SPD shoe compatible allows off the bike walking
- Customize the entry and release tension settings
- The legacy of SHIMANO design, quality and
- performance















PD-T421 VERSATILE DUAL-PLATFORM CLICK'R PEDAL WITH EVERYDAY EASE OF USE

Versatile use CLICK'R binding on one side and flat pedal

- on the other
- Lighter spring
- Easier to catch the binding
- Pop-up cage
- Better grip on flat side with non-slip surface and
- concave shape
- Rider Tuneable adjustable entry and release tension
- settings





PD-T400

OFFERING A MORE ENJOYABLE CYCLING LIFE TO MORE PEOPLE

WHITE PD-T400

- Lighter spring for simple entry and release
- Pop-up cage for easier step-in
- Integrated reflector for safety
- Customize the entry and release tension settings
- Chrome-moly spindle and low-maintenance sealed
- SM-SH56 (multi-directional release cleat) included





SHIMANO CLICK'R

PD-MT50

MTB STYLE SHIMANO CLICK'R PEDAL FOR RECREATIONAL MTB USE

- Lighter spring for simple entry and release
- Pop-up cage for easier step-in
- Customize the entry and release tension settings
- Chrome-moly spindle and low-maintenance sealed
- bearing cartridge axle
- SM-SH56 multi-directional release cleat included



SHIMANO CLICK'R

REFLECTORS



SM-PD58

COMPATIBLE WITH PD-7810, PD-6700, PD-6620, PD-5700, PD-5610, PD-5600, PD-7800, PD-6610, PD-7750, PD-R670, PD-R600, PD-R540 and PD-R540-LA S-PART NO.



SM-PD64

S-PART NO. • Y46R98060

SM-PD64A

COMPATIBLE WITH

PD-M828, PD-GR500



SM-PD59

COMPATIBLE WITH PD-A520 S-PART NO. Y40R98090

• Y40R98070



SM-PD60

COMPATIBLE WITH PD-M9000, PD-M9020, PD-M980, PD-M985, PD-M8000, PD-M8020, PD-M647, PD-M785, PD-M780, PD-M530 S-PART NO.



COMPATIBLE WITH PD-M8040

SM-PD67



SM-PD61

Y40Z98010

COMPATIBLE WITH PD-A530 S-PART NO. Y45Z98010



SM-PD62

COMPATIBLE WITH PD-A600 S-PART NO. Y46D98050



SM-PD63

COMPATIBLE WITH PD-R9100, PD-9000, PD-7900, PD-6700C S-PART NO. Y46J98010



SM-PD40 BUCKLE & STRAP SETS

COMPATIBLE WITH PD-M545, PD-M424 and PD-M434 S-PART NO. Y41J98010

SM-PD22



COMPATIBLE WITH PD-M970, PD-M770, PD-M959, PD-M515, PD-M520, PD-M540 and PD-M505 S-PART NO. Y41R98070

ORIGINAL TOOLS



TL-PD63

CONE ADJUSTING TOOL SET

COMPATIBLE WITH SPD Pedal S-PART NO. Y46098630



TL-PD33

CONE ADJUSTING TOOL SET S-PART NO. Y41N98040



TL-HS40

CONE ADJUSTING TOOL

COMPATIBLE WITH PD-9000/7900/7700/7750/7800 S-PART NO. Y13098320



TL-HS37

CONE ADJUSTING TOOL

COMPATIBLE WITH PD-9000/7900/7700/7750/7800

S-PART NO. Y23098030




TL-PD40

CONE ADJUSTING TOOL For loosening/tightening lock nut S-PART NO. • Y42A09000

PEDAL ICONS

FEATURES





POP-UP CAGE Easy entry pop-up binding POP-UP design


| | CARBON BODY |
|--------|-------------|
| Carbon | |

MUD SHEDDING DESIGN Open binding mechanism to MUD better shed mud



AXLE LENGTH +4 mm


EASY IDENTIFICATION OF EACH SHOE AND PEDAL RECOMMENDED USE





FOOTWEAR LINE UP

ROAD



| MULTI-SURFACE | | | | GRAVITY | | |
|---------------------------|-------------------------|--------------------------|-------------------------|-------------------------------|------------------------|------------------------|
| XC5 | 4 | ~ | | AM9 | | |
| SIZE 38 - 50 | | | | SIZE 36 - 48 | | |
| NEW | BLACK SH-XC500 | GRAY/ORANGE SH-XC500 | | NEW | GRAY/BLUE SH-AM901 | |
| | | | | AM7 | | |
| | | | | SIZE 36 - 48 | | |
| | | | | NEW | GRAY/BLUE SH-AM701 | LIME GREEN SH-AM701 |
| MOUNTAIN ENDURO | | | | | | |
| SH-ME7 SIZE 38 - 50 | | | | AM5 SIZE 36 - 48 | | No. |
| | BLACK SH-ME700 | GRAY SH-ME700 | | | BLACK SH-AM500 | GRAY CAMO SH-AM500 |
| SH-ME5 SIZE 38 - 50 | | and the second | | GR9 SIZE 36 - 48 | | |
| | BLACK SH-ME500 | GRAY SH-ME500 | | NEW | GRAY/GREEN SH-GR900 | |
| ME3 SIZE 36 - 52 | | | 1 constant | GR7 SIZE 36 - 48 | | |
| Wide type size: 36 - 52 | BLACK/WHITE SH-ME300 | BLACK/ORANGE SH-ME300 | GRAY/YELLOW SH-ME300 | NEW | BLUE SH-GR700 | GRAY/GREEN SH-GR700 |
| ME2 SIZE | | <u></u> | | | | |
| 36 - 50 | | | | SEVERE CONDITIONS | | |
| NEW | BLACK/WHITE SH-ME200 | GRAY/BLUE SH-ME200 | | MW7 SIZE 38 - 48 | | |
| | | | | | BLACK SH-MW700 | |
| | | | | MW5 | | |
| | | | | SIZE 38 - 48 | | |

BLACK SH-MW500

FOOTWEAR LINE UP

ROAD

| ROAD/CITY | | | | | MOUNTAIN TOURING | | |
|-------------------------|-------------------|------------------------------|-------------------|--------------------|---------------------------|--------------------|-------------------|
| CT5 | 2 | ~~ | 2 | ~ | MT7 | | |
| SIZE 36 - 48 | | | | | SIZE 36 - 48 | | |
| NEW | BLACK SH-CT500 | NAVY SH-CT500 | OLIVE SH-CT500 | ORANGE SH-CT500 | NEW | ORANGE SH-MT700 | OLIVE SH-MT700 |
| Т5 | 2 | | | | SH-MT5 SIZE | | Jan . |
| I ZE 5 - 48 | | | | | 36 - 48 | | |
| | BLACK SH-RT500 | NEW NAVY SH-RT500 | | | | RED SH-MT500 | BLACK SH-MT500 |
| 274 | ~ | A | | | SH-MT3 | | |
| 6 IZE 36 - 48 | | | | | 36 - 48 | BLACK SH-MT300 | BLUE SH-MT300 |
| | GRAY SH-RT400 | DARK GRAY MELANG SH-RT400 | E | | SH-SD5 | 511-141 300 | |
| | | | | | | | |
| FF-ROAD | | | | | | GRAY SH-SD500 | |
| CROSS MOUNTAIN | | | | | WOMEN'S F | OOTWFAF | RI INF UP |
| SIZE | | | | | ROAD | 001112/1 | |
| - 48 | GRAY SH-XM900 | | | | ROAD PERFORMANCE | | |
| M7 | 2 | | | | RP7 WOMEN | | |
| 6 IZE 86 - 48 | Sec. | | | | 36, 37 - 44 in half sizes | GRAY | |
| | GRAY SH-XM700 | | | | NEW | SH-RP700 WOMEN | |
| | | | | | RP5 WOMEN | ~ | \$ |
| | | | | | 36 - 44 | WHITE | NAVY |
| | | | | | NEW | SH-RP501 WOMEN | SH-RP501 WOMEN |
| | | | | | RP3 WOMEN SIZE | | \sim |
| | | | | | 35 - 44 | BLACK | WHITE |
| | | | | | | SH-RP300 WOMEN | SH-RP300 WOMEN |
| | | | | | | | |

| ROAD PERFORMANCE | | | GRAVITY | | | |
|------------------------|---------------------------------|--------------------------------|---------------------|-------------------------------|--|-------------------------------------|
| RP2 WOMEN | | A- | GR7W | | | |
| SIZE 36 - 44 | | 14 | SIZE 36 - 44 | | | |
| | BLACK SH-RP200 WOMEN | WHITE | NEW | GRAY/MINT SH-GR700 WOMEN | | |
| | SH-RP200 WOMEN | SH-RP200 WOMEN | | | | |
| TRIATHLON | | | R0AD/CITY | | | |
| TR9 WOMEN | | | CT5 WOMEN | <u> </u> | | |
| SIZE 36 - 44 | | | SIZE 36 - 44 | | | |
| 00 44 | | | | MINT | BI ACK | NAVY |
| | WHITE SH-TR900 WOMEN | | NEW | SH-CT500 WOMEN | BLACK SH-CT500 WOMEN | SH-CT500 WOMEN |
| TR5 WOMEN | h | | RT5W | A .: | A | |
| SIZE 36 - 44 | | | SIZE 36 - 44 | N. | and the second s | |
| | WHITE | | | WHITE | BROWN | |
| | SH-TR500 WOMEN | | | SH-RT500 WOMEN | SH-RT500 WOMEN | |
| | | | RT4W | A | A | A |
| | | | SIZE 36 - 44 | - | | |
| OFF-ROAD | | | | WHITE SH-RT400 WOMEN | PURPLE MELANGE SH-RT400 WOMEN | GRAY MELANGE/MINT SH-RT400 WOMEN |
| MULTI-SURFACE | | | | SH-R1400 WOMEN | SH-R1400 WOMEN | SH-R1400 WOMEN |
| XC5 WOMEN SIZE | | | | | | |
| 36 - 44 | | | MOUNTAIN TOURING | | | |
| NEW | BLACK/MAGENTA SH-XC500 WOMEN | | SH-MT5W | | | |
| | | | SIZE 36 - 44 | | | |
| MOUNTAIN ENDURO | | | | BLACK/GREEN SH-MT500 WOMEN | | |
| ME3 WOMEN | | A | | | | |
| SIZE 36 - 44 | | 10 | SH-MT3W SIZE | | | |
| NEW | BLACK/MAGENTA SH-ME300 WOMEN | GRAY/MINT SH-ME300 WOMEN | SIZE 36 - 44 | | | |
| | SH MEDDO WOMEN | En neos nonen | | BLACK/GREEN SH-MT300 WOMEN | | |
| ME2 WOMEN | | | | | | |
| SIZE 36 - 44 | | 1 | | | | |
| NEW | BLACK/GREEN SH-ME200 WOMEN | GRAY/MAGENTA SH-ME200 WOMEN | | | | |
| | | | | | | |

PEDALS LINE UP

| SPD-SL | | | | SPD | | | | |
|---------------------------------------|---------------------------------|----------------|-------------------|--|-------------------|------------------|------------------|--|
| PD-R9100 228g | | | | PD-M9000 310 g | S | | | |
| | PD-R9100 | | | | PD-M9000 | | | |
| PD-R8000 248 g | | | | PD-M9020 | 200 | | | |
| NEW | PD-R8000 | | | - | PD-M9020 | | | |
| PD-5800 | | | | PD-M8000 343 g | 200 | | | |
| - | PD-5800 | | | - | PD-M8000 | | | |
| PD-R550 310 g | ۵ | 2 | | PD-M8020 408 g | Ś | | | |
| | BLACK GRAY PD-R550 PD-R5 | 50 | | | PD-M8020 | | | |
| PD-R540 330 g | <u>نې</u> | | \$ | PD-M540 ³⁵² g | 10 | 1 | | |
| | WHITEBLACHPD-R540PD-R5 | K 40 | SILVER PD-R540 | | SILVER PD-M540 | BLACK PD-M540 | | |
| PD-R540-LA ^{330 g} | ا≪€ | 2 | | PD-M530 455 g | 1 | | | |
| | WHITE BLACK PD-R540-LA PD-R5 | (40-LA | | | WHITE PD-M530 | BLACK PD-M530 | | |
| | | | | PD-M520 380 g | | | 8 | |
| | | | | | SILVER PD-M520 | WHITE PD-M520 | BLACK PD-M520 | |

| SPD | | | SPD | | | SPD | | |
|------------------------------------|-------------------|--------------------|--------------------------|-------------------|------------------|------------------------------------|------------------|------------------|
| PD-M820 568 g | 100 | | PD-ED500 455 g | 200 | | PD-T400 ^{507 g} | 101 | |
| NEW | PD-M820 | | NEW | PD-ED500 | | Jan J | BLACK | WHITE |
| | 1.5 11020 | | | 10 2000 | | | BLACK PD-T400 | WHITE PD-T400 |
| PD-M647 ^{568 g} | 6 | | PD-T8000 392 g | 20 | | PD-MT50 498 g | 2 | |
| 500 Y | | | 372 y | PD-T8000 | | 470 g | PD-MT50 | |
| | PD-M647 | | | PD-18000 | | | F D-M130 | |
| PD-M545 | | | PD-M324 | 2.4 | | | | |
| 567 g | See | | 533 g | | | | | |
| | PD-M545 | | | PD-M324 | | | | |
| PD-M424 | M | | PD-A600 | | | | | |
| 472 g | S | | 286 g | | | | | |
| | PD-M424 | | | PD-A600 | | | | |
| | | | PD-A530 | 8 | N -1 | | | |
| FLAT PEDAL | | | 383 g | <u> </u> | S | | | |
| PD-M828 493 g | <u> </u> | | | SILVER PD-A530 | BLACK PD-A530 | | | |
| NEW | PD-M828 | | | | | | | |
| | | | PD-A520 315 g | S | | | | |
| PD-M8040 | 19 A 19 A | AES. | | PD-A520 | | | | |
| 460 g(SM) 503 g(ML) | | | | | | | | |
| NEW | PD-M8040-SM | PD-M8040-ML | PD-T421 423 g | 200 | | | | |
| PD-GR500 | a. | 20 | | PD-T421 | | | | |
| 535 g | | SO . | | | | | | |
| NEW | BLACK PD-GR500 | SILVER PD-GR500 | | | | | | |