



Johnson Outdoors Marine Electronics, Inc. • 121 Power Drive • Mankato, MN 56001 • cannondownriggers.com

CANNON CONSUMER & TECHNICAL SERVICE

P.O. Box 8129
Mankato, MN 56002

121 Power Drive
Mankato, MN 56001
Phone (800) 227-6433
Fax (800) 527-4464

CANNON DEALER & DISTRIBUTOR SERVICE

Phone (800) 493-6686
Fax (800) 451-0387

555 Main Street, Suite 241
Racine, WI 53403
Phone (800) 299-2592
Fax (262) 631-6609

JOHNSON OUTDOORS INC. CANADA

4180 Harvester Road
Burlington, Ontario L7L 6B6
Phone (905) 634-0023
Fax (905) 634-0261

Cannon Cover, Digi-Troll, Easi-Troll, Flash Weights, Lake-Troll, Magnum 10, Mini-Mag, Mini-Troll, Quick Release, Quick Stacker, Retro-Ease, Sport-Troll, Terminator Kit and Uni-Troll are trademarks of Johnson Outdoors Marine Electronics, Inc.

Cannon is a registered trademark of Johnson Outdoors Marine Electronics, Inc.

Velcro is a registered trademark of Velcro Industries B.V.

Specifications are subject to change without notice.

©2015-2017 Johnson Outdoors Marine Electronics, Inc. All Rights Reserved.

Printed in the U.S.A.





YOU CAN'T FAKE PASSION. IT'S WHAT PUTS YOU ON THE WATER EVERY SINGLE DAY. AND IT'S WHAT DRIVES US TO BUILD UNSTOPPABLE DOWNRIGGERS THAT WORK HARDER AND SMARTER THAN ANY OTHER. PASSION PUTS US ALL OUT HERE.

IT RUNS DEEP.



LOOK OUT BELOW

Fish will never know what hit 'em. But you will. Check out our full line of ingenious, powerful electric downriggers: DIGI-TROLL 10, DIGI-TROLL 5 and MAGNUM (pages 8-13).

   Explore Cannon on Facebook, Twitter or YouTube, or visit us at cannondownriggers.com.


CONTENTS

- ELECTRIC DOWNRIGGER INTRODUCTION 4-6
- USING A DOWNRIGGER 6-7
- DIGI-TROLL 10 8-9
- DIGI-TROLL 5 10-11
- MAGNUM 12-13
- MANUAL DOWNRIGGERS 14-15
- ROD HOLDERS AND TRACK SYSTEMS 16-17
- MOUNTS, BASES AND LINE RELEASES 18-19
- ACCESSORIES 20-21
- PRODUCT COMPARISON 22-23

ENGINEERED TO ABSOLUTELY DOMINATE


There just isn't another electric downrigger on the market that's built as tough – and as smart – as a Cannon®. Check out the features that make it the most advanced downrigger on the water, then choose the one that's right for you.

PRECISE BAIT POSITIONING // Our most advanced features keep your tackle right where it needs to be.




DEPTH CYCLE*

Program your downrigger to automatically cycle your tackle up and down between two depth levels. Select the depth levels and time intervals, then stay in the strike zone.




PRESET DEPTHS*

Store up to five depths in your downrigger, so you can quickly get your bait back to the strike zone.



BOTTOM TRACK*

Choose how far from the bottom you want to keep your bait, and the downrigger will keep it there automatically (requires transducer accessory – see page 21).



WATERLINE ZERO*

Protect your boat from swinging weights. Your downrigger will automatically keep your weight at a set distance below the waterline.

EASY OPERATION // No hassle, no holdups. Just simple, smart fishing.

ADJUSTABLE SPEEDS*

Take advantage of five adjustable retrieve and deploy speeds to fit any fishing situation.

250 FEET-PER-MINUTE RETRIEVAL SPEED

Retrieve your weight at a staggering 250 feet per minute – so you're not caught waiting when the bite is on.

POSITIVE ION CONTROL

Combats the fish-scaring negative ions that your boat produces with a field of positive ions that keep fish closer to your line. On Digi-Troll™ units, you can even adjust the voltage.

LCD CONTROL SCREENS*

Raise and lower the weight and program line amounts at the push of a button on backlit LCD screens integrated into the downrigger.

SOFT STOP*

Eliminates sudden stops by gradually slowing the ascent and descent of the weight as it reaches its end point.

AUTO UP

Automatic weight retrieval that stops your weight safely at the waterline, making it easy to get your lines back out quickly.

EQUIPPED TO FISH // Designed to last, with smart, strong components.



DUAL AXIS ROD HOLDER

Quick one-handed angle adjustments, easy vertical positioning and full 360° rotation. Our unbeatable rod holder comes standard on every electric downrigger we make.



STAINLESS STEEL SPOOL*

Built to handle monofilament or popular “super lines” without snapping or breaking, and included on all of our Tournament Series (TS) electric downriggers.



REMOVABLE SIDE PLATE

Easily access the spool to switch lines, fix snags and make adjustments on any electric downrigger.




360° SWIVEL BASE*

Unparalleled versatility to keep your downrigger perfectly positioned and your lines easily in reach.

*Available on select models

CHOOSE YOUR WEAPON

Decide which electric downrigger features are going to help you catch more fish, then find the right Cannon for your boat.



DIGI-TROLL 10
Pages 8-9

DIGI-TROLL 5
Pages 10-11

MAGNUM 10
Pages 12-13


Depth Cycle	Yes	-	-
Preset Depth	Yes	-	-
Bottom Track	Yes	-	-
Adjustable Speeds	Yes	-	-
Waterline Zero	Yes	Yes	-
Line on Reel	Yes	Yes	-
Soft Stop	Yes	Yes	-
Positive Ion Control	Yes	Yes	Yes
Auto Up	Yes	Yes	Yes
Dual Axis Rod Holder	2	2	1
Removable Side Plate	Yes	Yes	Yes
360° Swivel Base	Yes	Yes	Yes
Stainless Steel Spool	TS Model	TS Model	TS Model
Limited Lifetime Warranty	Yes	Yes	Yes

DOWNRIGGER TUTORIAL VIDEO SCAN THE QR CODE TO WATCH. Or visit cannondownriggers.com/downrigger.




USING A DOWNRIGGER


Controlled depth fishing lets you get your lure where the fish are, and keep it there. Cannon downriggers are designed to make the whole process as effortless as possible, so you can spend more time fishing. Here's how they work.



- 1 ATTACH AND LOWER**
To rig, attach the weight (or Cannonball) to your line with a "line release." Place the rod in the rod holder and lower the weight to your desired depth.



- 2 DOWN WITH THE WEIGHT**
While trolling, the weight of the Cannonball keeps your lure at your desired depth and allows it to "swim" more naturally behind the weight. On some Cannon downriggers, you can cycle the weight up or down, or keep it a set distance from the bottom.



- 3 LINE RELEASE**
Once a fish takes the lure, the line release lets go of the line and the fish is on.



- 4 REMOVE AND REEL**
After you see that the fish is on, remove the rod from the rod holder and reel in your catch.

DIGI-TROLL 10

ARMED TO THE TEETH

Every innovation we've ever thought up is included on Digi-Troll 10. It's packed with smart features that put your bait exactly where you need it and where fish can't resist it. Take total control of everything you expect your downrigger to do – and a few things you never knew it could.

THE EXCLUSIVES THAT MAKE IT THE WORLD'S MOST ADVANCED DOWNRIGGER.

-  **DEPTH CYCLING:** Automatically cycle your tackle up and down between two depth levels at preset time intervals.
-  **BOTTOM TRACKING:** Automatically keep your tackle at a set distance from the bottom.
-  **PRESET DEPTHS:** Store up to five frequently used depths to quickly get your bait back to the strike zone.
-  **ADJUSTABLE SPEEDS:** Take advantage of five adjustable retrieve and deploy speeds.
-  **SOFT STOP:** Eliminates sudden stops at ascent and descent end points.
-  **LCD CONTROL SCREEN:** Raise and lower the weight, program line amounts, or adjust Positive Ion Control, all at the push of a button.



-  **250 feet-per-minute retrieval speed**
-  **Auto Up automatic weight retrieval**
-  **Waterline Zero keeps your bait a set distance from the surface**
-  **Adjustable Positive Ion Control**

Explore each feature in further detail on pages 4-5.



CANNON EDGE DESIGN
Features fewer moving parts, one-piece composite construction, corrosion-resistant design and protected electronics to create an unstoppable fishing machine. All backed with a limited lifetime warranty.

LIMITED LIFETIME WARRANTY 



DIGI-TROLL™ 10 TS Part No. 1902330
Step up to Digi-Troll 10 TS and get a stainless steel spool (and boom) to handle monofilament and super lines.

DIGI-TROLL 5

ENTER THE DIGITAL AGE

Take your downrigger digital with Digi-Troll 5. A backlit LCD screen lets you take command of smart features that keep your tackle right where you want it. And you won't sacrifice brawn for brains – Digi-Troll 5 is built tough to keep you in the action for years to come.

TRADE UP FROM MAGNUM TO DIGI-TROLL 5 AND GET THESE KEY FEATURES.



LCD CONTROL SCREEN:

Raise and lower the weight, program line amounts, or adjust Positive Ion Control, all at the push of a button.



WATERLINE ZERO: Keep your bait at a set distance below the surface.



ADJUSTABLE POSITIVE ION CONTROL:

Dial in the exact amount of voltage you want behind the positive ions you emit from the cable.



SOFT STOP: Eliminates sudden stops at ascent and descent end points.



250 feet-per-minute retrieval speed



Auto Up automatic weight retrieval



CANNON EDGE DESIGN

Features fewer moving parts, one-piece composite construction, corrosion-resistant design and protected electronics to create an unstoppable fishing machine. All backed with a limited lifetime warranty.



DIGI-TROLL™ 5 TS Part No. 1902320

Upgrade and get a stainless steel spool (and boom) to handle monofilament and super lines.

Explore each feature in further detail on pages 4-5.

MAGNUM

AS RELIABLE AS THE GUYS WHO USE IT

Add some Magnum muscle to your boat with the downrigger that serious anglers have trusted for years. Magnum packs power, precision and innovation in a reliable, rugged package day after day, year after year. The only thing it doesn't know how to do is quit.

HERE'S WHY ANGLERS HAVE TRUSTED MAGNUM ON THEIR BOATS FOR YEARS.

250 FEET-PER-MINUTE RETRIEVAL SPEED: A staggeringly fast retrieval speed means your lines are back in – and ready to go back out – in no time flat.

AUTO UP: Automatically retrieve the weight at the push of a button so you can get right back to fishing. It also protects the boat from swinging weights.

REMOVABLE SIDE PLATE: A must-have feature for easy access to the spool, making it easy to fix snags, switch spools and re-spool your line.

POSITIVE ION CONTROL: Attracts fish by releasing positive ions that combat the negative ions from your boat.



CANNON EDGE DESIGN

Features fewer moving parts, one-piece composite construction, corrosion-resistant design and protected electronics to create an unstoppable fishing machine. All backed with a limited lifetime warranty.

LIMITED LIFETIME WARRANTY

PICK THE RIGHT MAGNUM FOR YOU

Mag 5 ST features a standard mounting base and 24" heavy-duty boom. Upgrade to a Mag 10 STX for a 360° Swivel Base and a boom that extends from 24" to 53". And add a stainless steel spool (and boom) to handle monofilament and super lines, with the Mag 10 STX-TS.



MAG 5 ST Part No. 1902300



MAG 10 STX-TS Part No. 1902310

Explore each feature in further detail on pages 4-5.



MANUAL DOWNRIGGERS

MORE CONTROL AT EVERY TURN

Take command of controlled depth fishing when you equip your boat with a Cannon manual downrigger. Perfect for smaller boats, each one allows for quick line retrieval and precise bait positioning.



FAST RETRIEVAL SPEED
 (UNI-TROLL™ AND EASI-TROLL™): Less cranking, faster retrieval. That's what you get on Uni-Troll, which has a 2:1 retrieval rate – and Easi-Troll, which has a 1.5:1 retrieval rate. Get your lines back out quickly thanks to fast, effortless weight retrieval.

CONTROLLED WEIGHT DESCENT: Precisely position your bait with controlled descent, thanks to the unique One-Hand Clutch Deploy mechanism on all of our manual downriggers.

DUAL AXIS ROD HOLDER:
 Uni-Troll models include our most versatile, easy-to-use rod holders. Each holder features 360° rotation, a quick-release pistol grip and one-handed ratcheting adjustments. Plus, it locks into any of six positions or can hold your rod vertically.



ENCLOSED BOOM END
 (UNI-TROLL™ AND EASI-TROLL™): We enclosed the boom end pulley on our Uni-Troll and Easi-Troll models to prevent line jumps – giving you uninterrupted fishing and easier operation.

LIMITED LIFETIME WARRANTY: Every manual downrigger is built to last – and backed by a limited lifetime warranty for added peace of mind.



UNI-TROLL™ 10 STX Part No. 1901130



UNI-TROLL™ 10 STX-TS Part No. 1901140



UNI-TROLL™ 5 ST Part No. 1901120



EASI-TROLL™ ST Part No. 1901020



LAKE-TROLL™ Part No. 1901250

	Retrieval Speed	One-Hand Clutch Deploy	Rod Holder	Weight Capacity	Limited Lifetime Warranty	Mounting Base	Boom	Depth Counter	Enclosed Boom End	Pre-Spooled Stainless Steel Cable	Includes Line Release	Integrated Ball Storage Hook	Spool	Ergonomic Crank Handle
UNI-TROLL 10 STX-TS	2:1	Yes	Dual Axis	20 lb	Yes	Universal Base	24" - 53" Stainless Steel Telescoping	Three-Digit	Yes	200' of 150-lb Test	Yes	Yes	Stainless Steel	Yes
UNI-TROLL 10 STX	2:1	Yes	Dual Axis	20 lb	Yes	Universal Base	24" - 53" Telescoping	Three-Digit	Yes	200' of 150-lb Test	Yes	Yes	Composite	Yes
UNI-TROLL 5 ST	2:1	Yes	Dual Axis	20 lb	Yes	Universal Base	24" Heavy-Duty	Three-Digit	Yes	200' of 150-lb Test	Yes	Yes	Composite	Yes
EASI-TROLL ST	1.5:1	Yes	Single Axis	12 lb	Yes	Universal Base	24" Stainless Steel	Three-Digit	Yes	150' of 150-lb Test	Yes	-	Composite	Yes
LAKE-TROLL	1:1	Yes	Tube Style	8 lb	Yes	Quick Mount Base	18" Copolymer	Swivel-Head	-	100' of 135-lb Test	Yes	-	Composite	-

ROD HOLDERS AND TRACK SYSTEMS

LOCK. LOAD. FISH.

Incredibly versatile rod holders, rock-solid bases and plates. It's everything you need to rig your boat up to fit the way you fish – and you can mount it all up on our track system, which features interchangeable components made of high-strength aluminum.



DUAL AXIS ADJUSTABLE ROD HOLDER
 360° rotation. A quick-release pistol grip. One-handed ratcheting adjustments. And it locks into any of six positions or can hold your rod vertically. Maybe there's a situation that requires a stronger, more versatile rod holder – but we haven't found it yet. Add the ultimate weapon to our track system and lock down more fish.
 Part No. 1907002

- 360° ROTATION
- RATCHETING ABILITY
- ONE-HANDED ANGLE ADJUSTMENT

DOWNRIGGER MOUNT: Mounts two Dual Axis Adjustable Rod Holders between the mounting and swivel bases of your Cannon downrigger.
 Part No. 1907024



ROD HOLDER OPTIONS



SINGLE AXIS ADJUSTABLE ROD HOLDER
 All the versatility of our Dual Axis model, but with only side-to-side rotation. This trusted rod holder is a workhorse on our innovative track system.
RAIL MOUNT: Fits round or square rails from 3/4" to 1-1/4".
 Part No. 1907001



FIXED ANGLED ROD HOLDER
 Angled at 60°, with 90° of side-to-side rotation, this 10" rod holder gets you in the game and is compatible with our track system.
 Part No. 1907000

ALUMINUM MOUNTING TRACK


This track uses locking grooves to prevent accessories from twisting, and allows for components to be easily removed or replaced. Includes mounting hardware.
 Part No. 1904025 – 6"
 Part No. 1904026 – 12"
 Part No. 1904027 – 18"
 Part No. 1904028 – 24"
 Part No. 1904029 – 36"



INTERCHANGEABLE COMPONENTS



ALUMINUM FIXED BASE DOWNRIGGER PEDESTAL
 For surface or track mounting, this sturdy fixed base comes in 4" and 6" heights. The top plate is pre-drilled and tapped to allow mounting of a Cannon swivel base and downrigger (and other downrigger brands).
 Part No. 1904030 – 4"
 Part No. 1904031 – 6"



DECK MOUNT PLATE
 This adaptable 4" x 3" plate works with Cannon dual axis rod holders, pedestal mount tracks and downrigger pedestal mounts. Plates can be mounted in a variety of locations, and a protective mounting boot lets you avoid sharp edges. Includes mounting hardware.
 Part No. 1904000



ALUMINUM SWIVEL BASE DOWNRIGGER PEDESTAL
 For surface or track mounting, this smooth-action swivel base rotates 360°, with 16 locking points spaced every 22.5°. The top plate is pre-drilled and tapped for mounting Cannon downriggers (and other downrigger brands).
 Part No. 1904032 – 4"
 Part No. 1904033 – 6"



RAIL MOUNT
 This convenient rail mount can attach our single axis rod holder to either round or square rails, from 3/4" to 1-1/4".
 Part No. 1904015

MOUNTS, BASES AND LINE RELEASES

RIG IT UP. REEL 'EM IN.



UNIVERSAL BASE MAGNUM, DIGI-TROLL, UNI-TROLL AND EASI-TROLL MODELS

Our universal base features heavy-duty composite construction for strength and UV resistance. Upgrade to the 316-grade stainless steel model for unrivaled protection against rusting, pitting and corroding.

Part No. 1904040 (Standard)
Part No. 1904045 (Stainless Steel)



LOW-PROFILE SWIVEL BASE

With 16 locking points, this base allows for 360° downrigger rotation with locking positions every 22.5°. Composite components and stainless steel construction make the standard model as strong as it is versatile. Also available in a 316-grade stainless steel model for added strength and corrosion resistance.

Part No. 2207003 (Standard)
Part No. 1903002 (Stainless Steel)



DECK PLATE

Reinforces Cannon bases and pedestal mounts installed on thin decks and gunwales. Built with machined aluminum and powder coated to resist corrosion.

Part No. 2200693



GIMBAL MOUNTS

Mount your downrigger in 30° flush mount rod holders with our sturdy, corrosion-resistant standard gimbal mounts. For added corrosion protection, step up to the stainless steel model. Both models are available in 9" or 12" tube lengths with 1-1/2" outer diameter tube.

Part No. 2250927 (Standard - 9")
Part No. 2250928 (Standard - 12")
Part No. 1903005 (Stainless Steel - 9")
Part No. 1903006 (Stainless Steel - 12")



QUICK MOUNT BASE

Allows for easy removal and replacement of Lake-Troll™, Sport-Troll™, Legacy Easi-Troll, and Mini-Mag™ downriggers. Built with heavy-duty composite construction for corrosion and UV resistance.

Part No. 2207001



RAIL/SIDE MOUNT

Designed to secure your downrigger to the "T" joints on rails of boats with narrow gunwales. Built with machined aluminum and powder coated to resist corrosion.

Part No. 2250940



CLAMP MOUNT

Secures downrigger to the gunwale or transom. Works with Lake-Troll, Sport-Troll, Legacy Easi-Troll and Mini-Mag downriggers. Built with machined aluminum and powder coated to resist corrosion. Maximum clamp opening: 2".

Part No. 2207327



MOUNTING BASE LEGACY UNI-TROLL

The standard model features heavy-duty composite construction for superior strength and UV resistance. The 316-grade stainless steel model adds the power to resist rusting, pitting and corroding.

Part No. 2207002 (Standard)
Part No. 1903004 (Stainless Steel)



UNI-LINE RELEASE

Two adjustment points allow tension settings from 2 to 22 pounds. Perfect for slow trolling with live baits or going after light-hitting walleyes. Easy one-hand tension release for use on any test line in saltwater or freshwater.

Part No. 2250009



UNI-STACKER RELEASE

All the characteristics of the Uni-Line Release, with an extra stacker clip to allow fishing at multiple depths off a single weight.

Part No. 2250105



OFFSHORE LINE RELEASE

Quick and easy to set even on turbulent waters, it won't damage your line by twisting, winding, or looping. Spring-loaded "clothespin" design allows for all types of fishing.

Part No. 2250106



OFFSHORE STACKER

Adds the ability to fish at multiple depths off a single weight with the popular Offshore Line Release.

Part No. 2250107



QUICK RELEASE™

Even in a bouncing boat, the Quick Release™ is quick and easy to use with no twisting, winding, or looping to damage your line. Adjustable tension lets you match your line weight and fishing style.

Part No. 2250119



QUICK STACKER™

Attaches directly to your downrigger cable for stacking applications. Quick and easy to use with no twisting, winding, or looping to damage your line. Adjustable tension lets you match your line weight and fishing style.

Part No. 2250120-1



OFFSHORE SALTWATER LINE RELEASE

Corrosion-resistant, high-tension spring is designed for heavier saltwater lines. Troll at high speeds in deep water with its heavy-duty release. Anti-fouling pins prevent line from snagging behind the gripper pads.

Part No. 2250109



PINCH-R-RELEASE

Spring-action clip opens quickly and easily with finger pressure. The deeper the line is set back in the pads, the greater the tension. Tension settings range from 2 to 12 pounds.

Part No. 2250111

ACCESSORIES



ROD HOLDER

Three-position configuration delivers fast baitcast or spinning rod pickup. Spring-loaded tension knob allows for quick rod adjustment. Its 360° base can be top or side mounted.
Part No. 2450169-1

ROD HOLDER ACCESSORIES: Adapt this rod holder to fit the way you fish.



6" Extension Post Part No. 1907040
Flush Mount Adapter Part No. 1907030
Rail Mount Adapter Part No. 1907050
Top/Side Mount Adapter Part No. 1907060



RETRO-EASE™ WEIGHT RETRIEVER

Brings the weight right to you so you can avoid leaning out or swinging the boom in to rerig. Fits all downriggers with booms up to 8' length.
Part No. 2250122



CANNON COVER™

Protect your downrigger with a professional-grade cover. It guards against the elements with a secure Velcro® fit and non-abrasive backing.
Part No. 1903030 (Black)
Part No. 1903031 (White)



BIG BODY CANNON LOCK

Locks large-bodied downriggers securely to the boat with a pin-tumbler lock. Fits Digi-Troll 10, Digi-Troll 5, Mag 5 ST and Mag 10 STX models.
Part No. 1903020



TERMINATOR KIT™

Includes six each of the superior Cushion Cartridges, Cannon Terminators and Snap Swivels.
Part No. 2250002



MINI-TROLL™

A horizontal reel/brake, 100' of stainless steel cable and a swivel-head depth counter come standard.
Part No. 1901200



TERMINATOR SINGLE

Rock-solid terminator safely attaches the weight to the downrigger cable.
Part No. 2250141



DIGI-TROLL 10 RELAY CABLES

20' cable allows networking of multiple downriggers for bottom tracking.
Part No. 019634



DIGI-TROLL 10 TRANSDUCER

Provides bottom tracking ability to Digi-Troll 10 downriggers. Network up to six downriggers to troll at set distances from the bottom through this single transducer.
Part No. 1491072



MINI-TROLL ACCESSORY KIT

Kit includes a rod holder, 4-pound flash weight and Uni-Line Release for the Mini-Troll™ downrigger.
Part No. 2250005



FLASH WEIGHTS™

Vinyl coated to prevent scratching the side of the boat; uses reflective prism tape on the fin for extra fish attraction.

Part No. 2295002 - 4 lb
Part No. 2295180 - 6 lb
Part No. 2295182 - 8 lb
Part No. 2295184 - 10 lb
Part No. 2295190 - 12 lb



FLUSH MOUNT POWER PORT

Our power port allows for quick thru-hull connection to a Cannon downrigger power cable. It quickly connects to the yellow female battery end plug from your downrigger, with no need to cut or splice wires. The watertight cover and gasket shield your downrigger plug from corrosion when not in use.
Part No. 1903012 (Black)
Part No. 1903013 (White)



SINGLE ROD HOLDER

Downrigger-mounted rod holder features dual axis adjustability. Fits all 2011 and newer Cannon downriggers.
Part No. 1907070



CABLES

Choose 150' of 7-strand, 302-grade stainless steel cable; or 200' and 400' lengths of 7-strand, 316-grade stainless steel cable. Each cable is 150-lb test.
Part No. 2215392 - 150'
Part No. 2215396 - 200'
Part No. 2215397 - 400'



DOWNRIGGER SPARE SPOOL

Replace your downrigger spool or grab a spare. Choose from either the standard composite spool or the Tournament Series, made from 316-grade stainless steel.
Part No. 1903050 (Composite - Black)
For Mag 5 ST, Mag 10 STX, Digi-Troll 5 and Digi-Troll 10 Models
Part No. 1903051 (Tournament Series - Stainless Steel)
For Mag 10 STX-TS, Digi-Troll 5 TS and Digi-Troll 10 TS Models



ELECTRIC DOWNRIGGERS



DIGI-TROLL 10 TS



DIGI-TROLL 10



DIGI-TROLL 5 TS



DIGI-TROLL 5



MAG 10 STX-TS



MAG 10 STX



MAG 5 ST

MANUAL DOWNRIGGERS



UNI-TROLL 10 STX-TS



UNI-TROLL 10 STX



UNI-TROLL 5 ST



EASI-TROLL ST



LAKE-TROLL

Depth Cycle	Yes	Yes	-	-	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Preset Depth Storage	Yes	Yes	-	-	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Bottom Tracking**	Yes	Yes	-	-	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Adjustable Speeds	Yes	Yes	-	-	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Waterline Zero	Yes	Yes	Yes	Yes	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Line on Spool	400'/150 lb Stainless Steel Cable	250'/150 lb Stainless Steel Cable	250'/150 lb Stainless Steel Cable	250'/150 lb Stainless Steel Cable	200'/150 lb Stainless Steel Cable	200'/150 lb Stainless Steel Cable	200'/150 lb Stainless Steel Cable	100'/135 lb Stainless Steel Cable	100'/120 lb Stainless Steel Cable				
Soft Stop	Yes	Yes	Yes	Yes	-	-	-	n/a	n/a	n/a	n/a	n/a	n/a
Positive Ion Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a
Auto Up	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a
Removable Side Plate	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a	n/a	n/a	n/a	n/a
Retrieval Speed	250' Per Minute	250' Per Minute	2:1	2:1	2:1	15:1	1:1						
Rod Holders	Dual Axis Adjustable (1)	Dual Axis Adjustable (2)	Dual Axis Adjustable (1)	Dual Axis Adjustable (2)	Dual Axis Adjustable (1)	Dual Axis Adjustable (1)	Dual Axis Adjustable (1)	Dual Axis Adjustable (1)	Dual Axis Adjustable (1)	Dual Axis Adjustable (1)	Single Axis Adjustable (1)	Tube-Style (1)	
Mounting Base	360 Swivel Universal Base	360 Swivel Universal Base	360 Swivel Universal Base	360 Swivel Universal Base	360 Swivel Universal Base	360 Swivel Universal Base	Universal Base	Universal Base	Universal Base	Universal Base	Universal Base	Universal Base	Quick Mount Base
Spool	Stainless Steel	Composite	Stainless Steel	Composite	Stainless Steel	Composite	Composite	Stainless Steel	Composite	Composite	Composite	Composite	Composite
Boom	Stainless Steel Telescoping (24" to 53")	Heavy-Duty Telescoping (24" to 53")	Stainless Steel Heavy-Duty Telescoping	Heavy-Duty Telescopic	24" Heavy-Duty	24" Stainless Steel	18" Copolymer						
Depth Counter	Digital	Digital	Digital	Digital	Three-Digit	Three-Digit	Three-Digit	Three-Digit	Three-Digit	Three-Digit	Three-Digit	Three-Digit	Swivel-Head
Weight Capacity	20 lb	20 lb	20 lb	20 lb	20 lb	12 lb	8 lb						
Limited Lifetime Warranty	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Includes Line Release	Yes (2)	Yes (2)	Yes (2)	Yes (2)	Yes (1)	Yes (1)	Yes (1)	Yes (1)	Yes (1)	Yes (1)	Yes (1)	Yes (1)	Yes (1)
Integrated Ball Storage Hook	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
One-Hand Clutch Deploy	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	Yes	Yes	Yes	Yes	Yes
Ergonomic Crank Handle	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Yes	Yes	Yes	Yes	Yes	-
Enclosed Boom End	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-

** Requires Transducer Accessory